

14


Wall & Ceiling LED


Pages 361-424

COB LED | SMD LED | LED

Die cast | Natural aluminium | Gypsum | ABS + PC


 IP20 IP40 IP54 IP65


 ADJUSTABLE ADJUSTABLE DIMMABLE DARK LIGHT QUICK FIX CE 80 CRI 85 CRI 2 YEAR




Window Frame Illumination


A-A⁺⁺

67454 | 6W | LED | Die cast

Window frame illumination.



IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
67454/AN/W	Anthracite	Warm white	3000K	6W	330lm	270°	100-240V	⏻	18	Complete with 500mA driver

one



62401AL/D/15



60008/AL/D



60008A/AL/BL

Indoor Mini Series

Natural aluminium




A-A++

60008A | 1W | LED | Natural aluminium



IP20
offer




A-A++

60008 | 2x1W | LED | Natural aluminium



IP20
offer




A-A++

65102 | 1W | LED | Natural aluminium



IP20
offer




A-A++

62401AL | 4x1W | LED | Natural aluminium



IP20
offer



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
60008A/AL/BL	Aluminium	Blue	-	1W	100-240V	⊕	50	Complete with driver
60008/AL/D	Aluminium	Daylight	6000K	2x1W	100-240V	⊕	50	Complete with driver
60008/AL/BL	Aluminium	Blue	-	2x1W	100-240V	⊕	50	Complete with driver
65102/D	Aluminium	Daylight	6000K	1W	100-240V	⊕	20	Complete with driver
65102/W	Aluminium	Warm white	3000K	1W	100-240V	⊕	20	Complete with driver
62401AL/D/15	Aluminium	Daylight	6000K	4x1W	100-240V	⊕	20	Complete with driver
62401AL/W/15	Aluminium	Warm white	3000K	4x1W	100-240V	⊕	20	Complete with driver

Reading Spots

Aluminium



65746A/W/W

65746/B/W

65746 | 3W | LED | Aluminium

With ON/OFF Switch.

80
CRI2
YEAR

new

IP20


A-A++ 65746/W/W



65746/B/W



65746/C/W



A-A++ 65746A/W/W

65746A | 3W | LED | USB | Aluminium

With USB charger and ON/OFF Switch.


80
CRI2
YEAR

new

IP20



65746A/B/W




A-A++ 65742/W/W

65742 | 3W | COB LED | Aluminium

With USB charger and ON/OFF Switch.

85
CRI2
YEAR


IP20



65742/B/W



USB charging socket.



A-A++ 65746R/W/W


65746R | 3W | LED | Wall recessed | Aluminium

With ON/OFF Switch.


80
CRI2
YEAR

new

IP20



65746R/B/W



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class				Notes
65746/W/W	White	-	Warm white	3000K	3W	150lm	36°	100-240V		-	-	24	Complete with 700mA driver
65746/B/W	Black	-	Warm white	3000K	3W	150lm	36°	100-240V		-	-	24	Complete with 700mA driver
65746/C/W	Chrome	-	Warm white	3000K	3W	150lm	36°	100-240V		-	-	24	Complete with 700mA driver
65746A/W/W	White	-	Warm white	3000K	3W	150lm	36°	100-240V		-	-	24	Complete with 700mA driver
65746A/B/W	Black	-	Warm white	3000K	3W	150lm	36°	100-240V		-	-	24	Complete with 700mA driver
65742/W/W	White	Black	Warm white	3000K	3W	150lm	36°	100-240V		-	-	12	Complete with 700mA driver
65742/B/W	Black	Brass	Warm white	3000K	3W	150lm	36°	100-240V		-	-	12	Complete with 700mA driver
65746R/W/W	White	-	Warm white	3000K	3W	150lm	36°	100-240V		115x50mm	50mm	24	Complete with 700mA driver
65746R/B/W	Black	-	Warm white	3000K	3W	150lm	36°	100-240V		115x50mm	50mm	24	Complete with 700mA driver

Reading Spots



Aluminium


65746B | 3W+5W Back light | LED | Aluminium



With 2 x ON/OFF Switches.


65738 | 3W | LED | Aluminium



With ON/OFF Switch.


65738A | 3W | LED | Aluminium


With ON/OFF Switch.


65744 | 3W | COB LED | Aluminium



With USB charger and ON/OFF Switch.




Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
65746B/W/W	White	-	Warm white	3000K	3W+5W	150lm	36°	230V	⌚	24	Complete with 700mA + 350mA drivers
65738/W/W	White	Black	Warm white	3000K	3W	160lm	36°	100-240V	⌚	24	Complete with 700mA driver
65738/AL/W	Aluminium	Black	Warm white	3000K	3W	160lm	36°	100-240V	⌚	24	Complete with 700mA driver
65738A/W/W	White	-	Warm white	3000K	3W	160lm	36°	100-240V	⌚	24	Complete with 700mA driver
65738A/B/W	Black	-	Warm white	3000K	3W	160lm	36°	100-240V	⌚	24	Complete with 700mA driver
65744/W/W	White	Black	Warm white	3000K	3W	150lm	36°	100-240V	⌚	12	Complete with 700mA driver
65744/B/W	Black	Brass	Warm white	3000K	3W	150lm	36°	100-240V	⌚	12	Complete with 700mA driver


65110A | 10W | COB LED | Die cast




IP20


65110C | 2x10W | COB LED | Die cast



IP20


65110D | 4x10W | COB LED | Die cast


IP20


65110B | 10W | COB LED | Die cast


IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65110A/W/W	White	Warm white	3000K	10W	900lm	60°	230V	⊕	12	Complete with 250mA driver
65110C/W/W	White	Warm white	3000K	2x10W	2x900lm	60°	230V	⊕	10	Complete with 500mA driver
65110D/W/W	White	Warm white	3000K	4x10W	4x900lm	60°	230V	⊕	4	Complete with 1000mA driver
65110B/W/W	White	Warm white	3000K	10W	900lm	60°	230V	⊕	10	Complete with 250mA driver



The COB Moving Heads Spots

Die cast



A-A++

65110E | 3x10W | COB LED | Die cast

IP20

300mm

57mm



A-A++

65110F | 4x10W | COB LED | Die cast

IP20

255x255mm

60mm

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
65110E/W/W	White	Warm white	3000K	3x10W	3x900lm	60°	230V		4	Complete with 700mA driver
65110F/W/W	White	Warm white	3000K	4x10W	4x900lm	60°	230V		4	Complete with 1000mA driver


Adjustable Display Spots




12109LA | 9W | COB LED | Die cast



IP20




12108LA | 8W | COB LED | Aluminium



IP20



12108LA/B/W




12208LA | 2x8W | COB LED | Aluminium



IP20



12208LA/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12109LA/W/W	White	Warm white	3000K	9W	700lm	25°	230V		24	Complete with 250mA driver
12108LA/W/W	White	Warm white	3000K	8W	600lm	25°	230V		24	Complete with 200mA driver
12108LA/B/W	Black	Warm white	3000K	8W	600lm	25°	230V		24	Complete with 200mA driver
12208LA/W/W	White	Warm white	3000K	2x8W	2x600lm	25°	230V		18	Complete with 200mA drivers
12208LA/B/W	Black	Warm white	3000K	2x8W	2x600lm	25°	230V		18	Complete with 200mA drivers



12109LA/W/W




65107/W/W

The COB Adjustable Decorative Spot




A-A++

12107F | 7W | COB LED | Aluminium




IP20




A-A++

12112LA | 12W | COB LED | Aluminium



IP20




A-A++

65107 | 7W | COB LED | Aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊠	Notes
12107F/W/W	White	Warm white	3000K	7W	565lm	35°	100-240V	⊠	12	Complete with 700mA driver
12112LA/W/W	White	Warm white	3000K	12W	740lm	30°	230V	⊠	20	Complete with 300mA driver
65107/W/W	White	Warm white	3000K	7W	594lm	35°	100-240V	⊠	12	Complete with 700mA driver



Decorative Indoor Wall Lights

Aluminium




A-A++

6028 | 6W | LED | Aluminium



IP20




A-A++

60032 | 3x1W | LED | Natural aluminium



IP20




A-A++


60034 | 3x1W | LED | Natural aluminium




IP20



67434 | 8W | SMD 2835 | Aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
6028/AL/W	Aluminium	Warm white	3000K	6W	475lm	100-240V	⊕	20	Complete with driver
60032/AL/W	Aluminium	Warm white	3000K	3x1W	-	100-240V	⊕	20	Complete with driver
60034/AL/W	Aluminium	Warm white	3000K	3x1W	-	100-240V	⊕	10	Complete with driver
67434/W/W	White	Warm white	3000K	8W	500lm	230V	⊕	12	Complete with 300mA driver



12101/AL/W



60004/AL/D



60010/AL/BL



60001/AL/D

Decorative Wall & Ceiling

Natural aluminium



A-A⁺⁺

12101 | 6x0,2W | LED | Natural aluminium + PC



LED
BUILT IN



IP20

offer



140mm



60mm



A-A⁺⁺

60004/AL/R

60004 | 6x0,2W | LED | Natural aluminium + PC




LED
BUILT IN




IP20

offer



60004/AL/GR

offer



150mm



70mm



A-A⁺⁺

60001 | 3x0,2W | LED | Natural aluminium




LED
BUILT IN



IP20

offer



110mm



37mm



A-A⁺⁺

60010 | 1W | LED | Natural aluminium




LED
BUILT IN



IP20

offer



73mm



73mm



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
12101/AL/W	Aluminium	Warm white	3000K	6x0,2W	230V		24	Complete with driver
60004/AL/GR	Aluminium	Green	-	6x0,2W	230V		20	Complete with driver
60004/AL/R	Aluminium	Red	-	6x0,2W	230V		20	Complete with driver
60001/AL/D	Aluminium	Daylight	6000K	6x0,2W	230V		100	Complete with driver
Other available colours: 60001/AL/BL Blue 60001/AL/GR Green 60001/AL/R Red 60001/AL/Y Yellow								
60010/AL/BL	Aluminium	Blue	-	1W	100-240V		100	Complete with driver

The Retro Opal Range

Die cast + PC

67424B/W/W

67424A/W/W

67424/W/W




A-A++

67424 | 9W | SMD 3528 | Die cast + PC



IP54




A-A++

67424A | 9W | SMD 3528 | Die cast + PC



IP54




A-A++

67424B | 20W | SMD 3528 | Die cast + PC



IP54



A-A++

67364 | 8W | SMD LED | Die cast + PC



IP54



Automatic day/night operation.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67424/W/W	White	Warm white	3000K	9W	600lm	230V	⌚	12	Complete with 350mA driver
67424A/W/W	White	Warm white	3000K	9W	600lm	230V	⌚	12	Complete with 350mA driver
67424B/W/W	White	Warm white	3000K	20W	1100lm	230V	⌚	6	Complete with 500mA driver
67364/G/W	Grey	Warm white	3000K	8W	450lm	230V	⌚	8	Photocell



67442B/W/W



67444C/W/W

The Classic Outdoor Range


Die cast


A-A⁺⁺ 67444C/W/W


IP54




67444C/B/W


A-A⁺⁺ 67442B/W/W


IP54




67442B/B/W


A-A⁺⁺ 67442C/W/W


IP54




67442C/B/W


A-A⁺⁺ 67442/W/W


IP54



67442/B/W





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67444C/W/W	White	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED
67444C/B/W	Black	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED
67442B/W/W	White	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED
67442B/B/W	Black	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED
67442C/W/W	White	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED
67442C/B/W	Black	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED
67442/W/W	White	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED
67442/B/W	Black	Warm white	3000K	10W	600lm	230V	⊕	12	AC LED

Sign Illumination Spot

7046P | 8W | COB LED | Die cast

A-A⁺⁺80 CRI
ADJUSTABLE
CE

IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
7046P/AN/W	Anthracite	Warm white	3000K	8W	600lm	50°	230V	⊞	6	Complete with 350mA driver


Outdoor Wall Washers

Die cast




A-A++ 67346/W/W

67346 | 12W | SMD 2835 | Die cast




IP65




A-A++ 67346/AN/W

67346 | 12W | SMD 2835 | Die cast




IP65




A-A++

67346A | 30W | SMD 2835 | Die cast



IP65



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67346/W/W	White	Warm white	3000K	12W	840lm	230V		8	Complete with 250mA driver
67346/AN/W	Anthracite	Warm white	3000K	12W	840lm	230V		8	Complete with 250mA driver
67346A/AN/W	Anthracite	Warm white	3000K	30W	2800lm	230V		4	Complete with 700mA driver



12110D/W/W




12106C/W/W

The COB Indoor Round Cylinders




A-A++

12106C | 6W | COB LED | Aluminium




IP20




A-A++

12110D | 10W | COB LED | Die cast




IP20




A-A++

12104M | 4,5W | COB LED | Cement + black reflector




IP20




A-A++

12208LA/W/W


12115A | 15W | COB LED | Aluminium



IP20



12208LA/B/W



Order Code	Colour	Reflector	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12106C/W/W	White	-	Warm white	3000K	6W	480lm	36°	230V	⌚	10	Complete with 700mA driver
12110D/W/W	White	-	Warm white	3000K	10W	800lm	36°	100-240V	⌚	18	Complete with 500mA driver
12104M/W	Stone	-	Warm white	3000K	4,5W	350lm	40°	100-240V	⌚	18	Complete with 350mA driver
12115A/W/W	White	Black	Warm white	3000K	15W	1100lm	36°	230V	⌚	30	Complete with 350mA driver
12115A/B/W	Black	Brass	Warm white	3000K	15W	1100lm	36°	230V	⌚	30	Complete with 350mA driver



12107KA/W/W + 050106/B



12107K/B/W + 050106/BS



12107K/W/W + 050106/W

The Chill Out LED Cylinders



A-A++ 12107K/B/W + 050106/BS


IP20

12107K | 7W | COB LED | Aluminium

Ring must be ordered separately.



12107K/W/W + 050106/B



A-A++ 12107KA/B/W + 050106/BS


IP20

12107KA | 7W | COB LED | Aluminium

Ring must be ordered separately.



12107KA/W/W + 050106/B



050106/W White



050106/B Black



050106/BS Brass

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12107K/W/W	White	Warm white	3000K	7W	500lm	35°	230V	⌚	30	AC LED
12107K/B/W	Black	Warm white	3000K	7W	500lm	35°	230V	⌚	30	AC LED
12107KA/W/W	White	Warm white	3000K	7W	500lm	35°	230V	⌚	30	AC LED
12107KA/B/W	Black	Warm white	3000K	7W	500lm	35°	230V	⌚	30	AC LED



LED Decorative Cylinders




A-A++ 12115D/B/W


12115D | 15W | COB LED | Aluminium + plastic



IP20



12115D/W/W



A-A++ 12124D/B/W


12124D | 24W | COB LED | Aluminium + plastic



IP20



12124D/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12115D/W/W	White	Warm white	3000K	15W	1200lm	45°	230V	⊕	24	Complete with 350mA driver
12115D/B/W	Black	Warm white	3000K	15W	1200lm	45°	230V	⊕	24	Complete with 350mA driver
12124D/W/W	White	Warm white	3000K	24W	2000lm	45°	230V	⊕	18	Complete with 600mA driver
12124D/B/W	Black	Warm white	3000K	24W	2000lm	45°	230V	⊕	18	Complete with 600mA driver





LED Fashion Cylinders



12108C | 8W | COB LED | Die cast





IP20



12122C | 22W | COB LED | Die cast



IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12108C/W/W	White	Warm white	3000K	8W	520lm	38°	230V	⌚	50	Complete with 650mA driver
12108C/B/W	Black	Warm white	3000K	8W	520lm	38°	230V	⌚	50	Complete with 650mA driver
12122C/W/W	White	Warm white	3000K	22W	1500lm	38°	230V	⌚	20	Complete with 500mA driver
12122C/B/W	Black	Warm white	3000K	22W	1500lm	38°	230V	⌚	20	Complete with 500mA driver




The COB Indoor Square Cylinders




12106CA | 6W | COB LED | Aluminium




IP20




12107AL | 7W | COB LED | Aluminium




IP20



12211L | 2x11W | COB LED | Metal



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
12106CA/W/W	White	Warm white	3000K	6W	480lm	36°	230V	⊕	10	Complete with 700mA driver
12107AL/AL/W	Aluminium	Warm white	3000K	7W	480lm	38°	230V	⊕	20	Complete with dimmable driver
12211L/W/W	White	Warm white	3000K	2x11W	2x830lm	40°	230V	⊕	8	Complete with 500mA drivers



12207B/W/W

12307B/W/W

Surface Shop Square Boxes



Aluminium



A-A

12107B | 7W | COB LED | Aluminium


new
IP20



A-A

12207B | 2x7W | COB LED | Aluminium


IP20



A-A

12307B | 3x7W | COB LED | Aluminium

IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12107B/W/W	White	Warm white	3000K	7W	550lm	36°	230V	⊕	36	Complete with 350mA driver
12207B/W/W	White	Warm white	3000K	2x7W	1100lm	36°	100-240V	⊕	24	Complete with 350mA driver
12307B/W/W	White	Warm white	3000K	3x7W	1650lm	36°	100-240V	⊕	12	Complete with 350mA driver



The SMD Cylinders

Aluminium

 A-A⁺⁺ 12115L/W/W 12115L 15W SMD LED Aluminium     LED BUILT IN IP40  12115L/B/W 130mm  100mm  90°									
 A-A⁺⁺ 12125L 25W SMD LED Aluminium     LED BUILT IN IP40  162mm  115mm  90°									
 A-A⁺⁺ 12135L 35W SMD LED Aluminium     LED BUILT IN IP40  195mm  131mm  90°									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
12115L/W/W	White	Warm white	3000K	15W	1280lm	230V		36	Complete with 350mA driver
12115L/B/W	Black	Warm white	3000K	15W	1280lm	230V		36	Complete with 350mA driver
12125L/W/W	White	Warm white	3000K	25W	2050lm	230V		36	Complete with 600mA driver
12135L/W/W	White	Warm white	3000K	35W	3000lm	230V		12	Complete with 800mA driver



12115L/B/W

12125L/W/W

12125LD/W/W


The SMD Cylinders

Aluminium




12107LD | 7W | SMD 2835 | Aluminium

new
DARK
LIGHT
IP20



12115LD | 15W | SMD 2835 | Aluminium

new
DARK
LIGHT
IP20




12125LD | 25W | SMD 2835 | Aluminium

new
DARK
LIGHT
IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
12107LD/W/W	White	Warm white	3000K	7W	600lm	90°	230V	⊞	48	Complete with 150mA driver
12115LD/W/W	White	Warm white	3000K	15W	1280lm	90°	230V	⊞	18	Complete with 350mA driver
12125LD/W/W	White	Warm white	3000K	25W	2050lm	90°	230V	⊞	18	Complete with 600mA driver




The Hidden Light Cylinders Range



12108FD | 8W | SMD 2835 | Die cast



12116FD | 16W | SMD 2835 | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
12108FD/W/W	White	Warm white	3000K	8W	560lm	230V	⊕	36	Complete with 300mA driver
12116FD/W/W	White	Warm white	3000K	16W	1100lm	230V	⊕	20	Complete with 300mA driver

The COB LED Indoor Cylinders


Aluminium


A-A⁺⁺

12115LA | 15W | COB LED | Aluminium





IP20


A-A⁺⁺

12125LA | 25W | COB LED | Aluminium




IP20


A-A⁺⁺

12130LA | 30W | COB LED | Aluminium






IP20





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
12115LA/W/W	White	Warm white	3000K	15W	1300lm	50°	230V	⊞	36	Complete with 350mA driver
12125LA/W/W	White	Warm white	3000K	25W	2100lm	50°	230V	⊞	18	Complete with 600mA driver
12130LA/W/W	White	Warm white	3000K	30W	2500lm	50°	230V	⊞	12	Complete with 700mA driver

The Retro Dark Light Cylinders

 A-A⁺⁺ 12112Z/B/W	12112Z 12W COB LED Die cast + Plastic   12112Z/W/W  Complete with Black & Brass reflectors. 									
 A-A⁺⁺ 12120Z/B/W	12120Z 20W COB LED Die cast + Plastic   12120Z/W/W  Complete with Black & Brass reflectors. 									
 A-A⁺⁺ 12130Z/B/W	12130Z 30W COB LED Die cast + Plastic   12130Z/W/W  Complete with Black & Brass reflectors. 									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112Z/W/W	White	Warm white	3000K	12W	960lm	45°	230V		30	Complete with 300mA driver
12112Z/B/W	Black	Warm white	3000K	12W	960lm	45°	230V		30	Complete with 300mA driver
12120Z/W/W	White	Warm white	3000K	20W	1600lm	45°	230V		24	Complete with 500mA driver
12120Z/B/W	Black	Warm white	3000K	20W	1600lm	45°	230V		24	Complete with 500mA driver
12130Z/W/W	White	Warm white	3000K	30W	2400lm	45°	230V		12	Complete with 750mA driver
12130Z/B/W	Black	Warm white	3000K	30W	2400lm	45°	230V		12	Complete with 750mA driver



The Retro Dark Light Square Cylinders

 A-A++ 12112ZA/B/W 12112ZA 12W COB LED Die cast + Plastic  80 CRI  CE  2 YEAR  12112ZA/W/W  Complete with Black & Brass reflectors.  73mm 73mm 95mm  45°										
 A-A++ 12120ZA/B/W 12120ZA 20W COB LED Die cast + Plastic  80 CRI  CE  2 YEAR  12120ZA/W/W  Complete with Black & Brass reflectors.  94mm 94mm 110mm  45°										
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12112ZA/W/W	White	Warm white	3000K	12W	960lm	45°	230V	Ⓛ	30	Complete with 300mA driver
12112ZA/B/W	Black	Warm white	3000K	12W	960lm	45°	230V	Ⓛ	30	Complete with 300mA driver
12120ZA/W/W	White	Warm white	3000K	20W	1600lm	45°	230V	Ⓛ	24	Complete with 500mA driver
12120ZA/B/W	Black	Warm white	3000K	20W	1600lm	45°	230V	Ⓛ	24	Complete with 500mA driver



12110HA/W/W

12115HA/W/W

Dark Light Pro Square Cylinders


 A-A⁺⁺	12110HA 10W COB LED Aluminium new DARK LIGHT IP20 80 CRI CE LED BUILT IN 2 YEAR  80x80mm 104mm 									
 A-A⁺⁺	12115HA 15W COB LED Aluminium new DARK LIGHT IP20 80 CRI CE LED BUILT IN 2 YEAR  100x100mm 120mm 									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
12110HA/W/W	White	Warm white	3000K	10W	800lm	60°	230V		48	Complete with 250mA driver
12115HA/W/W	White	Warm white	3000K	15W	1200lm	60°	230V		48	Complete with 350mA driver

COB Outdoor Ceiling Cylinders




A-A++

IP54

67380 | 10W | COB LED | Aluminium


A-A++

IP54

67380A | 25W | COB LED | Die cast


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67380/W/W	White	Warm white	3000K	10W	700lm	60°	100-240V	⊕	24	Complete with 250mA driver
67380A/W/W	White	Warm white	3000K	25W	1800lm	60°	100-240V	⊕	12	Complete with 600mA driver



Outdoor Ceiling Cylinders


Die cast



67138C | 6x1W | LED | Die cast




IP54
offer



67138D | 6x1W | LED | Die cast



IP54
offer



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
67138C/G/D	Grey	Daylight	6000K	6x1W	230V	⊕	12	Complete with driver
67138C/G/W	Grey	Warm white	3000K	6x1W	230V	⊕	12	Complete with driver
67138D/G/D	Grey	Daylight	6000K	6x1W	230V	⊕	12	Complete with driver



Outdoor Ceiling Cylinders


Die cast



67138C | 6W | COB LED | Die cast




IP54



67138D | 6W | COB LED | Die cast



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67138C/W/W	White	Warm white	3000K	6W	440lm	35°	100-240V		18	Complete with 500mA driver
67138C/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V		18	Complete with 500mA driver
67138C/B/W	Black	Warm white	3000K	6W	440lm	35°	100-240V		18	Complete with 500mA driver
67138D/W/W	White	Warm white	3000K	6W	440lm	35°	100-240V		18	Complete with 500mA driver
67138D/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V		18	Complete with 500mA driver
67138D/B/W	Black	Warm white	3000K	6W	440lm	35°	100-240V		18	Complete with 500mA driver
67138D/G/W	Grey	Warm white	3000K	6W	440lm	35°	100-240V		18	Complete with 500mA driver


Outdoor Wall Cylinders



67138E | 6W | COB LED | Die cast




IP54



67138E | 6W | COB LED | Die cast




IP54



67138E | 6W | COB LED | Die cast




IP54



67138E | 6W | COB LED | Die cast



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67138E/W/W	White	Warm white	3000K	6W	440lm	35°	100-240V		12	Complete with 500mA driver
67138E/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V		12	Complete with 500mA driver
67138E/B/W	Black	Warm white	3000K	6W	440lm	35°	100-240V		12	Complete with 500mA driver
67138E/G/W	Grey	Warm white	3000K	6W	440lm	35°	100-240V		12	Complete with 500mA driver


Outdoor Wall Cylinders



67138F | 6W | COB LED | Die cast



IP54




A-A++ 67138F/W/W

67138F | 6W | COB LED | Die cast



IP54




A-A++ 67138F/AN/W

67138F | 6W | COB LED | Die cast



IP54




A-A++ 67138F/B/W

67138F | 6W | COB LED | Die cast



IP54



A-A++ 67138F/G/W

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67138F/W/W	White	Warm white	3000K	6W	440lm	35°	100-240V	⌚	12	Complete with 500mA driver
67138F/AN/W	Anthracite	Warm white	3000K	6W	440lm	35°	100-240V	⌚	12	Complete with 500mA driver
67138F/B/W	Black	Warm white	3000K	6W	440lm	35°	100-240V	⌚	12	Complete with 500mA driver
67138F/G/W	Grey	Warm white	3000K	6W	440lm	35°	100-240V	⌚	12	Complete with 500mA driver

Outdoor Wall Cylinders

Up & down beam



A-A++ 67138/AN/W

67138 | 2x6W | COB LED | Die cast



IP54




67138/W/W



67138/B/W



67138/G/W



A-A++ 67138A/AN/W

67138A | 2x6W | COB LED | Die cast



IP54




67138A/W/W



67138A/B/W



67138A/G/W





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	⊞	Notes
67138/W/W	White	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138/AN/W	Anthracite	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138/B/W	Black	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138/G/W	Grey	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138A/W/W	White	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138A/AN/W	Anthracite	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138A/B/W	Black	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver
67138A/G/W	Grey	Warm white	3000K	2x6W	2x440lm	35°	230V	⊞	12	Complete with 500mA driver



Outdoor Wall Cylinders High Power



67138EL | 20W | COB LED | Die cast



67138L | 2x20W | COB LED | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
67138EL/AN/C	Anthracite	Cool white	4000K	20W	1400lm	35°	230V		4	AC LED
67138EL/AN/W	Anthracite	Warm white	3000K	20W	1400lm	35°	230V		4	AC LED
67138L/AN/C	Anthracite	Cool white	4000K	2x20W	2x1400lm	35°	230V		2	AC LED
67138L/AN/W	Anthracite	Warm white	3000K	2x20W	2x1400lm	35°	230V		2	AC LED




67420AL/AN/W



67420L/W/W

The Cage Wall Lights



A-A+ 67420L/AN/W

67420L | 7W | SMD 2835 | Die cast + frosted glass




IP54



67420L/W/W



67420L/G/W




A-A+ 67420AL/AN/W

67420AL | 7W | SMD 2835 | Die cast + frosted glass



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67420L/W/W	White	Warm white	3000K	7W	500lm	230V	⌚	6	Complete with 350mA driver
67420L/AN/W	Anthracite	Warm white	3000K	7W	500lm	230V	⌚	6	Complete with 350mA driver
67420L/G/W	Grey	Warm white	3000K	7W	500lm	230V	⌚	6	Complete with 350mA driver
67420AL/AN/W	Anthracite	Warm white	3000K	7W	300lm	230V	⌚	6	Complete with 350mA driver

The Cage Ceiling Lights




A-A++ 67420BL/W/W

67420BL | 13W | SMD 2835 | Die cast + frosted glass



IP54




A-A++ 67420BL/AN/W

67420BL | 13W | SMD 2835 | Die cast + frosted glass



IP54




A-A++ 67420BL/G/W

67420BL | 13W | SMD 2835 | Die cast + frosted glass



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67420BL/W/W	White	Warm white	3000K	13W	800lm	230V	⌚	4	Complete with 300mA driver
67420BL/AN/W	Anthracite	Warm white	3000K	13W	800lm	230V	⌚	4	Complete with 300mA driver
67420BL/G/W	Grey	Warm white	3000K	13W	800lm	230V	⌚	4	Complete with 300mA driver




Wall Adjustable Beams



67440 | 9W | SMD 2835 | Adjustable beam | Die cast




IP54



67440A | 11W | SMD 2835 | Adjustable beam | Die cast



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67440/W/W	White	Warm white	3000K	9W	600lm	230V	⌚	8	Complete with 350mA driver
67440/AN/W	Anthracite	Warm white	3000K	9W	600lm	230V	⌚	8	Complete with 350mA driver
67440A/AN/W	Anthracite	Warm white	3000K	11W	700lm	230V	⌚	8	Complete with 350mA driver



67076A/B/W



67076/W/W

The Glass Face Wall Lights




A-A++ 67076/W/W

67076 | 4W | SMD LED | Glass + metal



67076/B/W




A-A++ 67076A/W/W

67076A | 5W | SMD LED | Glass + metal



67076A/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67076/W/W	White	Warm white	3000K	4W	300lm	230V	⌚	12	AC LED
67076/B/W	Black	Warm white	3000K	4W	300lm	230V	⌚	12	AC LED
67076A/W/W	White	Warm white	3000K	5W	350lm	230V	⌚	12	AC LED
67076A/B/W	Black	Warm white	3000K	5W	350lm	230V	⌚	12	AC LED

one



67374A/W/W



67374/AN/W



67342/G/W

Outdoor Wall Up & Down Lights

Die cast



A-A++ 67356/W/W


67356 | 5W | LED | Die cast



IP54



67356/G/W




A-A++

67342 | 4x3W | LED | Die cast



IP54



A-A++ 67374/W/W


67374 | 2x3W | SMD 5630 | Die cast



IP54



67374/AN/W



A-A++ 67374A/AN/W


67374A | 2x6W | SMD 2835 | Die cast



IP54




67374A/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67356/W/W	White	Warm white	3000K	5W	170lm	230V	⚡	18	AC LED
67356/G/W	Grey	Warm white	3000K	5W	170lm	230V	⚡	18	AC LED
67342/G/W	Grey	Warm white	3000K	4x3W	350lm	230V	⚡	12	Complete with 700mA driver
67374/W/W	White	Warm white	3000K	2x3W	2x210lm	230V	⚡	24	Complete with 350mA driver
67374/AN/W	Anthracite	Warm white	3000K	2x3W	2x210lm	230V	⚡	24	Complete with 350mA driver
67374A/W/W	White	Warm white	3000K	2x6W	2x420lm	230V	⚡	12	Complete with 300mA driver
67374A/AN/W	Anthracite	Warm white	3000K	2x6W	2x420lm	230V	⚡	12	Complete with 300mA driver

Outdoor Wall Up & Down Lights



A-A++ 67362B/AN/W


67362B | 9W | SMD LED | Die cast



IP54



67362B/W/W



A-A++ 67362C/AN/W


67362C | 2x4,5W | SMD 3014 | Die cast



IP54



67362C/W/W



A-A++ 67392/AN/W


67392 | 7W | SMD 2835 | ABS + PC



IP65



67392/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67362B/W/W	White	Warm white	3000K	9W	600lm	230V	⌚	12	Complete with 350mA driver
67362B/AN/W	Anthracite	Warm white	3000K	9W	600lm	230V	⌚	12	Complete with 350mA driver
67362C/W/W	White	Warm white	3000K	2x4,5W	2x315lm	230V	⌚	12	Complete with 350mA driver
67362C/AN/W	Anthracite	Warm white	3000K	2x4,5W	2x315lm	230V	⌚	12	Complete with 350mA driver
67392/W/W	White	Warm white	3000K	7W	400lm	230V	□	20	Complete with 500mA driver
67392/AN/W	Anthracite	Warm white	3000K	7W	400lm	230V	□	20	Complete with 500mA driver

Outdoor Slim Oval Range

Up & down beam



67378 | 2x3W | SMD 5630 | Die cast




IP54



67378A | 2x6W | SMD 2835 | Die cast



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67378/W/W	White	Warm white	3000K	2x3W	2x210lm	230V	⊕	24	Complete with 350mA driver
67378/AN/W	Anthracite	Warm white	3000K	2x3W	2x210lm	230V	⊕	24	Complete with 350mA driver
67378A/W/W	White	Warm white	3000K	2x6W	2x420lm	230V	⊕	12	Complete with 300mA driver
67378A/AN/W	Anthracite	Warm white	3000K	2x6W	2x420lm	230V	⊕	12	Complete with 300mA driver



Outdoor Slim Range

Up & down beam



67376 | 2x3W | SMD 2835 | Die cast



IP54



67376A | 2x6W | SMD 2835 | Die cast




IP54



67412 | 2x6W | COB LED | Adjustable beam | Die cast



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
67376/W/W	White	Warm white	3000K	2x3W	2x210lm	230V	⚡	24	Complete with 350mA driver
67376/AN/W	Anthracite	Warm white	3000K	2x3W	2x210lm	230V	⚡	24	Complete with 350mA driver
67376A/W/W	White	Warm white	3000K	2x6W	2x420lm	230V	⚡	12	Complete with 300mA driver
67376A/AN/W	Anthracite	Warm white	3000K	2x6W	2x420lm	230V	⚡	12	Complete with 300mA driver
67412/W/W	White	Warm white	3000K	2x6W	2x400lm	230V	⚡	12	Complete with 500mA driver
67412/AN/W	Anthracite	Warm white	3000K	2x6W	2x400lm	230V	⚡	12	Complete with 500mA driver



67274C/AL/W



67274B/AL/W




67274/AL/W



67298/AL/W

Indoor/Outdoor Wall Lines

Natural aluminium




A-A+

67298 | 3x3W | LED | Natural aluminium



IP54




A-A+

67274 | 4W | LED | Natural aluminium




IP54



67274A | 2x1W | LED | Natural aluminium



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67298/AL/W	Aluminium	Warm white	3000K	3x3W	450lm	100-240V	⌚	20	Complete with driver
67274/AL/W	Aluminium	Warm white	3000K	4W	150lm	100-240V	⌚	20	Complete with driver
67274A/AL/BL	Aluminium	Blue	-	2x1W	-	100-240V	⌚	12	Complete with driver

Indoor/Outdoor Wall Lines

Natural aluminium





A-A++

67274B | 4x1,5W | LED | Natural aluminium



IP54



A-A++


67274C | 6x1W | LED | Natural aluminium



IP54




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67274B/AL/W	Aluminium	Warm white	3000K	4x1,5W	200lm	100-240V	⌚	12	Complete with driver
67274C/AL/W	Aluminium	Warm white	3000K	6x1W	300lm	230V	⌚	20	Complete with driver




Indoor/Outdoor Adjustable Beams



67340A | 2x3W | LED | Adjustable beam | Die cast



67340A | 2x3W | LED | Adjustable beam | Die cast





Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67340A/W/W	White	Warm white	3000K	2x3W	2x210lm	230V	⊕	8	Complete with 700mA driver
67340A/AN/W	Anthracite	Warm white	3000K	2x3W	2x210lm	230V	⊕	8	Complete with 700mA driver
67340A/G/W	Grey	Warm white	3000K	2x3W	2x210lm	230V	⊕	8	Complete with 700mA driver

Outdoor Wall Dark Lights



Die cast






67398 | 3W | SMD 1208 | Die cast



67398A | 2x3W | LED | Die cast



67398C | 2x3W | LED | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67398/W/W	White	Warm white	3000K	3W	200lm	100-240V	⚡	24	Complete with 350mA driver
67398/AN/W	Anthracite	Warm white	3000K	3W	200lm	100-240V	⚡	24	Complete with 350mA driver
67398A/W/W	White	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	12	Complete with 350mA driver
67398A/AN/W	Anthracite	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	12	Complete with 350mA driver
67398A/B/W	Black	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	12	Complete with 350mA driver
67398C/W/W	White	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	18	Complete with 350mA driver
67398C/AN/W	Anthracite	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	18	Complete with 350mA driver
67398C/B/W	Black	Warm white	3000K	2x3W	2x200lm	100-240V	⚡	18	Complete with 350mA driver

Outdoor Wall Lights

Die cast



67304/G/W





67124/G/W



A-A++

67468 | 10W | LED | Dimmable | Die cast + glass

new
IP65



A-A++

67124/G/W


67124 | 2x1W | LED | Die cast

IP54
offer



67124/G/BL


offer



A-A++

67304 | 2x1W | LED | Die cast

IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67468/W/W	White	Warm white	3000K	10W	600lm	230V	⊕	6	AC LED
67124/G/W	Grey	Warm white	3000K	2x1W	-	230V	⊕	18	Complete with driver
67124/G/BL	Grey	Blue	-	2x1W	-	230V	⊕	18	Complete with driver
67304/G/W	Grey	Warm white	3000K	2x1W	-	100-240V	⊕	12	Complete with driver

Down Illumination Wall Lights

ABS + PC




A-A++ 67386A/W/W

67386A | 1,5W | SMD 2835 | ABS + PC



67386A/AN/W




A-A++ 67386C/W/W

67386C | 4W | SMD 2835 | ABS + PC



67386C/AN/W




A-A++ 67396/W/W

67396 | 6W | SMD 2835 | ABS + PC



67396/AN/W




A-A++ 67396A/W/W

67396A | 6W | SMD 2835 | Sensor | ABS + PC



67396A/AN/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67386A/W/W	White	Warm white	3000K	1,5W	80lm	230V		40	AC LED
67386A/AN/W	Anthracite	Warm white	3000K	1,5W	80lm	230V		40	AC LED
67386C/W/W	White	Warm white	3000K	4W	220lm	230V		20	AC LED
67386C/AN/W	Anthracite	Warm white	3000K	4W	220lm	230V		20	AC LED
67396/W/W	White	Warm white	3000K	6W	300lm	230V		20	AC LED
67396/AN/W	Anthracite	Warm white	3000K	6W	300lm	230V		20	AC LED
67396A/W/W	White	Warm white	3000K	6W	300lm	230V		20	AC LED
67396A/AN/W	Anthracite	Warm white	3000K	6W	300lm	230V		20	AC LED

Outdoor General Lighting

ABS + PC




A-A++ 67394B/W/W

67394B | 3,5W | SMD 2835 | ABS + PC



67394B/AN/W




A-A++ 67394A/W/W

67394A | 3,5W | SMD 2835 | ABS + PC



67394A/AN/W




A-A++ 67394/W/W


67394 | 3,5W | SMD 2835 | ABS + PC



67394/AN/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67394B/W/W	White	Warm white	3000K	3,5W	250lm	230V		40	AC LED
67394B/AN/W	Anthracite	Warm white	3000K	3,5W	250lm	230V		40	AC LED
67394A/W/W	White	Warm white	3000K	3,5W	250lm	230V		40	AC LED
67394A/AN/W	Anthracite	Warm white	3000K	3,5W	250lm	230V		40	AC LED
67394/W/W	White	Warm white	3000K	3,5W	250lm	230V		24	AC LED
67394/AN/W	Anthracite	Warm white	3000K	3,5W	250lm	230V		24	AC LED



67388B/AN/W



67388A/W/W


Outdoor Dark Lights

ABS + PC




A-A++ 67388A/W/W

67388A | 2W | SMD 2835 | ABS + PC




67388A/AN/W




A-A++ 67388B/W/W

67388B | 2W | SMD 2835 | ABS + PC




67388B/AN/W




A-A++ 67388C/W/W

67388C | 2W | SMD 2835 | ABS + PC



67388C/AN/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67388A/W/W	White	Warm white	3000K	2W	65lm	230V		40	AC LED
67388A/AN/W	Anthracite	Warm white	3000K	2W	65lm	230V		40	AC LED
67388B/W/W	White	Warm white	3000K	2W	60lm	230V		40	AC LED
67388B/AN/W	Anthracite	Warm white	3000K	2W	60lm	230V		40	AC LED
67388C/W/W	White	Warm white	3000K	2W	75lm	230V		24	AC LED
67388C/AN/W	Anthracite	Warm white	3000K	2W	75lm	230V		24	AC LED




Round Indoor/Outdoor Wall Dark Lights


Die cast



67359 | 3W | SMD 5630 | Die cast



67360 | 9W | SMD 5630 | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67359/W/W	White	Warm white	3000K	3W	200lm	100-240V	⌚	30	Complete with 350mA driver
67359/AN/W	Anthracite	Warm white	3000K	3W	200lm	100-240V	⌚	30	Complete with 350mA driver
67360/W/W	White	Warm white	3000K	9W	350lm	230V	⌚	12	Complete with 700mA driver
67360/AN/W	Anthracite	Warm white	3000K	9W	350lm	230V	⌚	12	Complete with 700mA driver

Square Indoor/Outdoor Wall Dark Lights

Die cast




A-A++ 67359A/AN/W

67359A | 3W | SMD 5630 | Die cast



67359A/W/W




A-A++ 67360A/AN/W

67360A | 9W | SMD 5630 | Die cast



67360A/W/W




A-A++ 67359B/AN/W

67359B | 6W | SMD 2835 | Die cast



67359B/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67359A/W/W	White	Warm white	3000K	3W	200lm	100-240V	⌚	30	Complete with 350mA driver
67359A/AN/W	Anthracite	Warm white	3000K	3W	200lm	100-240V	⌚	30	Complete with 350mA driver
67360A/W/W	White	Warm white	3000K	9W	350lm	230V	⌚	12	Complete with 700mA driver
67360A/AN/W	Anthracite	Warm white	3000K	9W	350lm	230V	⌚	12	Complete with 700mA driver
67359B/W/W	White	Warm white	3000K	6W	400lm	230V	⌚	24	Complete with 350mA driver
67359B/AN/W	Anthracite	Warm white	3000K	6W	400lm	230V	⌚	24	Complete with 350mA driver



Outdoor Dark Lights




A-A++ 67430B/AN/W

67430B | 8W | SMD 2835 | ABS + PC



67430B/W/W




A-A++ 67430A/AN/W

67430A | 8W | SMD 2835 | ABS + PC



67430A/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67430B/W/W	White	Warm white	3000K	8W	350lm	230V		20	Complete with 300mA driver
67430B/AN/W	Anthracite	Warm white	3000K	8W	350lm	230V		20	Complete with 300mA driver
67430A/W/W	White	Warm white	3000K	8W	350lm	230V		20	Complete with 300mA driver
67430A/AN/W	Anthracite	Warm white	3000K	8W	350lm	230V		20	Complete with 300mA driver

Outdoor Dark Lights




67416/W/W



67418/AN/W



67414/AN/W




A-A++ 67414/AN/W

67414 | 3W | SMD 2835 | ABS + PC



67414/W/W




A-A++ 67416/AN/W

67416 | 3W | SMD 2835 | ABS + PC



67416/W/W




A-A++ 67418/AN/W

67418 | 3W | SMD 2835 | ABS + PC



67418/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67414/W/W	White	Warm white	3000K	3W	100lm	230V		40	AC LED
67414/AN/W	Anthracite	Warm white	3000K	3W	100lm	230V		40	AC LED
67416/W/W	White	Warm white	3000K	3W	100lm	230V		40	AC LED
67416/AN/W	Anthracite	Warm white	3000K	3W	100lm	230V		40	AC LED
67418/W/W	White	Warm white	3000K	3W	100lm	230V		40	AC LED
67418/AN/W	Anthracite	Warm white	3000K	3W	100lm	230V		40	AC LED



Indoor/Outdoor Wall Lines



Die cast



67170 | 3W | LED | Die cast





IP54
offer



67172 | 2x3W | LED | Die cast



IP54
offer



Order Code	Colour	Light Colour	Watts	Input	Class		Notes
67170/G/BL	Grey	Blue	3W	100-240V	⊕	40	Complete with driver
67172/G/BL	Grey	Blue	2x3W	100-240V	⊕	20	Complete with driver



Indoor/Outdoor Wall Lines

Die cast




67354 | 2x3W | LED | Die cast



IP54




Use provided accessories to change to narrow beam.



67308 | 2x4W | LED | Die cast




DARK LIGHT
IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67354/G/W	Grey	Warm white	3000K	2x3W	182lm	100-240V	⌚	12	Complete with driver
67308/G/W	Grey	Warm white	3000K	2x4W	-	100-240V	⌚	12	Complete with driver

The Roof Tile Range


Die cast



67422 | 6W | COB LED | Die cast




IP54



67422A | 2x6W | COB LED | Die cast



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67422/W/W	White	Warm white	3000K	6W	400lm	230V		24	Complete with 500mA driver
67422/AN/W	Anthracite	Warm white	3000K	6W	400lm	230V		24	Complete with 500mA driver
67422A/W/W	White	Warm white	3000K	2x6W	2x400lm	230V		12	Complete with 500mA driver
67422A/AN/W	Anthracite	Warm white	3000K	2x6W	2x400lm	230V		12	Complete with 500mA driver



67176/W/D



67174/W/D

Outdoor Wall Lights

Die cast



A-A⁺⁺

67174/G/D

67174 | 3W | LED | Die cast



IP54



67174/W/D



A-A⁺⁺

67176/G/W

67176 | 3W | LED | Die cast



IP54



67176/W/D



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
67174/W/D	White	Daylight	6000K	3W	230V	⊕	12	Complete with driver
67174/G/D	Grey	Daylight	6000K	3W	230V	⊕	12	Complete with driver
67176/W/D	White	Daylight	6000K	3W	230V	⊕	12	Complete with driver
67176/G/W	Grey	Warm white	3000K	3W	230V	⊕	12	Complete with driver



67128/G/BL

67126/G/BL

Outdoor Surface Round Points


Die cast



67126 | 1,5W | LED | Die cast



67128 | 1,5W | LED | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
67126/G/BL	Grey	Blue	-	1,5W	230V	⊕	30	Complete with driver
67128/G/BL	Grey	Blue	-	1,5W	230V	⊕	30	Complete with driver

Outdoor Surface Square Points


Die cast



67116 | 1,6W | LED | Die cast



IP54



67118 | 1,6W | LED | Die cast



IP54

offer



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
67116/G/W	Grey	Warm white	3000K	1,6W	230V	⌚	30	Complete with driver
67118/G/D	Grey	Daylight	6000K	1,6W	230V	⌚	30	Complete with driver
67118/G/BL	Grey	Blue	-	1,6W	230V	⌚	30	Complete with driver

one


Outdoor Mini Series

Die cast




60014C | 2x1W | LED | Die cast

IP44
offer




60016B | 2x1W | LED | Die cast

IP44
offer



A-A++ 60016B/G/W




60012A | 1W | LED | Die cast

IP44
offer




A-A++ 60012A/G/D



60012B | 2x1W | LED | Die cast

IP44
offer



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
60014C/G/BL	Grey	Blue	-	2x1W	12V AC	III	100	Use 12V AC transformer
60016B/G/W	Grey	Warm white	3000K	2x1W	12V AC	III	50	Use 12V AC transformer
60016B/G/BL	Grey	Blue	-	2x1W	12V AC	III	50	Use 12V AC transformer
60012A/G/D	Grey	Daylight	6000K	1W	12V AC	III	50	Use 12V AC transformer
60012A/G/W	Grey	Warm white	3000K	1W	12V AC	III	50	Use 12V AC transformer
60012A/G/BL	Grey	Blue	-	1W	12V AC	III	50	Use 12V AC transformer
60012B/G/BL	Grey	Blue	-	2x1W	12V AC	III	50	Use 12V AC transformer


Indoor/Outdoor Light Points

Natural aluminium



A-A++

67220A | 1W | LED | Natural aluminium + acrylic



LED
BUILT INIP54
offer

A-A++

67334 | 1W | LED | Natural aluminium

LED
BUILT IN

IP54




A-A++

67336 | 2x1W | LED | Natural aluminium


LED
BUILT IN

IP54



A-A++

67256 | 3W | LED | Natural aluminium

LED
BUILT INDARK
LIGHT
IP54
offer

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67220A/AL/D	Aluminium	Daylight	6000K	1W	-	100-240V		20	Complete with driver
67334/AL/W	Aluminium	Warm white	3000K	1W	65lm	100-240V		20	Complete with driver
67336/AL/W	Aluminium	Warm white	3000K	2x1W	130lm	100-240V		20	Complete with driver
67256/AL/W	Aluminium	Warm white	3000K	3W	-	230V		12	Complete with driver

The Backlight Range


A-A⁺⁺

67450/W/W

67450 | 7W | SMD 2835 | ABS + PC




67450/AN/W


A-A⁺⁺

67450A/W/W

67450A | 7W | SMD 2835 | ABS + PC



67450A/AN/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67450/W/W	White	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver
67450/AN/W	Anthracite	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver
67450A/W/W	White	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver
67450A/AN/W	Anthracite	Warm white	3000K	7W	600lm	230V		24	Complete with 300mA driver



67466C/W/W



67466B/B/W

The Backlight Wall Range

Aluminium



A-A++ 67466A/W/W


67466A | 6W | SMD 2835 | Aluminium



new
IP20



67466A/B/W




A-A++ 67466B/W/W



67466B | 6W | SMD 2835 | Aluminium



new
IP20



67466B/B/W




A-A++ 67466C/W/W


67466C | 12W | SMD 2835 | Aluminium



new
IP20



67466C/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67466A/W/W	White	Warm white	3000K	6W	400lm	230V	⌚	12	Complete with 300mA driver
67466A/B/W	Black	Warm white	3000K	6W	400lm	230V	⌚	12	Complete with 300mA driver
67466B/W/W	White	Warm white	3000K	6W	400lm	230V	⌚	12	Complete with 300mA driver
67466B/B/W	Black	Warm white	3000K	6W	400lm	230V	⌚	12	Complete with 300mA driver
67466C/W/W	White	Warm white	3000K	12W	800lm	230V	⌚	12	Complete with 300mA driver
67466C/B/W	Black	Warm white	3000K	12W	800lm	230V	⌚	12	Complete with 300mA driver