

15

Plafo

Pages 427-460

E27 | G9 | SMD LED | LED

Die cast | Steel | Metal | PC

 IP20 IP40 IP54 IP65 DIMMABLE DARK LIGHT   80 CRI  2 YEAR  5 YEAR



one

E27 Plafo Steel



B-A+ 12220/W

12220 | 2x20W | E27 | Steel



IP20
offer



Suitable for E27 LED lamps.



B-A+ 12220/MC

12220 | 2x20W | E27 | Steel



IP20
offer



Suitable for E27 LED lamps.



Order Code	Colour	Watts	Input	Class		Notes
12220/W	White	2x20W	100-240V	⌚	8	-
12220/MC	Brushed chrome	2x20W	100-240V	⌚	8	-



62104/MC

62102/MC

Square LED Plafo

Steel




A-A++

62102 | 17W | SMD LED | Steel



IP20
offer




A-A++

62104 | 30W | SMD LED | Steel



IP20
offer



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
62102/MC	Brushed chrome	Warm white	3000K	17W	230V	⌚	5	Complete with 700mA driver
62104/MC	Brushed chrome	Warm white	3000K	30W	230V	⌚	4	Complete with 700mA driver

Decorative LED Plafo

Metal + PC



A-A++ 62010/G/F

62010 | 11W | LED | Metal + PC



IP20



62010/G/BL



62010/G/OR



62010/G/V




A-A++

62010A | 31W | LED | Metal + PC



IP20



Order Code	Colour	Ring Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
62010/G/F	Grey	Frosted	Warm white	3000K	11W	230V	⊕	5	-
62010/G/BL	Grey	Blue	Warm white	3000K	11W	230V	⊕	5	-
62010/G/OR	Grey	Orange	Warm white	3000K	11W	230V	⊕	5	-
62010/G/V	Grey	Violet	Warm white	3000K	11W	230V	⊕	5	-
62010A/G/V	Grey	Violet	Warm white	3000K	31W	230V	⊕	5	-



62010/G/OR

62012/G/V

62010/G/BL

Decorative LED Plafo

Metal + PC




A-A⁺⁺

62014 | 31W | LED | Metal + PC



IP20



A-A⁺⁺

62012 | 16W | LED | Metal + PC



IP20



Order Code	Colour	Ring Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
62014/G	Grey	-	Warm white	3000K	31W	230V	⌚	5	-
62012/G/V	Grey	Violet	Warm white	3000K	16W	230V	⌚	5	-

The LED Plafo Range

Round



62024B/W

A-A⁺⁺

62024A | 14W | SMD LED | Metal + plastic



IP20

A-A⁺⁺

62024B | 18W | SMD LED | Metal + plastic



IP20

A-A⁺⁺

62024C | 26W | SMD LED | Metal + plastic



IP20




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62024A/W	White	Warm white	3000K	14W	850lm	230V	⊕	5	Complete with 350mA driver
62024B/W	White	Warm white	3000K	18W	1100lm	230V	⊕	5	Complete with 450mA driver
62024C/W	White	Warm white	3000K	26W	1600lm	230V	⊕	5	Complete with 700mA driver

The LED Slim Plafo Range

Round



62022B/W/W

 A-A++	62022A 20W SMD 2835 PC  LED BUILT IN  IP20  285mm  55mm 								
 A-A++	62022B 25W SMD 2835 PC  LED BUILT IN  IP20  330mm  60mm 								
 A-A++	62022C 36W SMD 2835 PC  LED BUILT IN  IP20  460mm  75mm 								
 A-A++	62022AM 20W SMD 2835 Sensor 30min timer PC  LED BUILT IN 80 CRI    IP20  285mm  55mm 								
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62022A/W/W	White	Warm white	3000K	20W	1600lm	230V		5	Complete with 450mA driver
62022B/W/W	White	Warm white	3000K	25W	2000lm	230V		5	Complete with 600mA driver
62022C/W/W	White	Warm white	3000K	36W	2900lm	230V		4	Complete with 900mA driver
62022AM/W/W	White	Warm white	3000K	20W	1600lm	230V		5	Complete with 450mA driver



67284LE/W/C



62018/G

The IP65 Polycarbonate Range



A-A+ 67284LE/W/C


67284LE | 25W/5W | SMD 2835 | Emergency 3Hrs Maintained | PC




IP65



67284LE/W/W



67284L | Plafo for LED board 67284LA | ABS + PC



IP65



LED board 67284LA



A-A+ 67284LA

67284LA | 14W | LED board for 67284L/G



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Battery Duration		Notes
67284LE/W/C	White	Cool white	4000K	25W/5W	1900lm	230V		3Hrs	12	Supplied with battery
67284LE/W/W	White	Warm white	3000K	25W/5W	1900lm	230V		3Hrs	12	Supplied with battery
67284LA/D	White	Daylight	6000K	14W	1150lm	100-240V		-	20	LED board for 67284L



LED Circular Plafo

Metal + PC



62018 | 11W | LED | Metal + PC



IP20



62018A | 27W | LED | Metal + PC



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Input	Class		Notes
62018/G	Grey	Warm white	3000K	11W	230V	⌚	5	-
62018A/W	White	Warm white	3000K	27W	230V	⌚	5	-

The LED Panel Plafo

Round



62115F/W/W



62130F/G/C



A-A+ 62115F/W/W

62115F | 16W | SMD LED | Die cast



IP40



62115F/B/W



62115F/G/C



A-A+ 62130F/W/W

62130F | 30W | SMD LED | Die cast

Optional dimmable driver code 040060.




IP40



62130F/B/W



62130F/G/C




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62115F/W/C	White	Cool white	4000K	16W	1118lm	230V		10	Complete with 500mA driver
62115F/W/W	White	Warm white	3000K	16W	1006lm	230V		10	Complete with 500mA driver
62115F/B/C	Black	Cool white	4000K	16W	1118lm	230V		10	Complete with 500mA driver
62115F/B/W	Black	Warm white	3000K	16W	1006lm	230V		10	Complete with 500mA driver
62115F/G/C	Grey	Cool white	4000K	16W	1118lm	230V		10	Complete with 500mA driver
62130F/W/C	White	Cool white	4000K	30W	1997lm	230V		10	Complete with 1000mA driver
62130F/W/W	White	Warm white	3000K	30W	1797lm	230V		10	Complete with 1000mA driver
62130F/B/W	Black	Warm white	3000K	30W	1797lm	230V		10	Complete with 1000mA driver
62130F/G/C	Grey	Cool white	4000K	30W	1997lm	230V		10	Complete with 1000mA driver

The LED Panel Plafo

Square



62122F/W/W



62130AF/W/W



A-A+ 62122F/W/W

62122F | 22W | SMD LED | Die cast




IP40



62122F/B/W



62122F/G/C



A-A+ 62130AF/W/W

62130AF | 30W | SMD LED | Die cast


Optional dimmable driver code 040060.



IP40



62130AF/W/C



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62122F/W/W	White	Warm white	3000K	22W	1490lm	230V		10	Complete with 700mA driver
62122F/B/W	Black	Warm white	3000K	22W	1490lm	230V		10	Complete with 700mA driver
62122F/G/C	Grey	Cool white	4000K	22W	1656lm	230V		10	Complete with 700mA driver
62130AF/W/C	White	Cool white	4000K	30W	2174lm	230V		10	Complete with 1000mA driver
62130AF/W/W	White	Warm white	3000K	30W	1957lm	230V		10	Complete with 1000mA driver

LED Aluminium Panel Range



62140AE | 40W | SMD 2835 | Aluminium




IP40



62140RE | 40W | SMD 2835 | Aluminium



IP40



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62140AE/W/C	White	Cool white	4000K	40W	3600lm	230V		4	Complete with 1000mA driver
62140AE/W/W	White	Warm white	3000K	40W	3400lm	230V		4	Complete with 1000mA driver
62140RE/W/C	White	Cool white	4000K	40W	3600lm	230V		4	Complete with 1000mA driver
62140RE/W/W	White	Warm white	3000K	40W	3200lm	230V		4	Complete with 1000mA driver


LED Die Cast Panel Range



A-A++

62140F | 40W | SMD LED | Die cast


IP40




Suspension kit included.



A-A++

62140AF | 40W | SMD LED | Die cast


IP40



Suspension kit included.



A-A++

62140RF | 40W | SMD 2016 | Die cast


IP40


Optional suspension kit.
Order code 050128.


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62140F/W/D	White	Daylight	6000K	40W	2800lm	230V		5	Complete with 1000mA driver
62140F/W/C	White	Cool white	4000K	40W	2800lm	230V		5	Complete with 1000mA driver
62140F/W/W	White	Warm white	3000K	40W	2520lm	230V		5	Complete with 1000mA driver
62140AF/W/D	White	Daylight	6000K	40W	2850lm	230V		4	Complete with 1000mA driver
62140AF/W/C	White	Cool white	4000K	40W	2850lm	230V		4	Complete with 1000mA driver
62140AF/W/W	White	Warm white	3000K	40W	2560lm	230V		4	Complete with 1000mA driver
62140RF/W/C	White	Cool white	4000K	40W	2700lm	230V		5	Complete with 1000mA driver
62140RF/W/W	White	Warm white	3000K	40W	2700lm	230V		5	Complete with 1000mA driver

The Ultra Slim LED Panel Plafo

Aluminium + PC



A-A⁺⁺


62018F | 18W | SMD 4014 | Aluminium + PC



IP40



super slim!



A-A⁺⁺


62018AF | 18W | SMD 4014 | Aluminium + PC



IP40



super slim!



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62018F/W/C	White	Cool white	4000K	18W	1450lm	230V		20	Complete with driver
62018F/W/W	White	Warm white	3000K	18W	1400lm	230V		20	Complete with driver
62018AF/W/C	White	Cool white	4000K	18W	1450lm	230V		20	Complete with driver
62018AF/W/W	White	Warm white	3000K	18W	1400lm	230V		20	Complete with driver



62018AF/W/C

The Ultra Slim LED Panel Plafo

Aluminium + PC



62030F/W/C




A-A++

62030F | 30W | SMD 4014 | Aluminium + PC



IP40




A-A++

62038F | 38W | SMD 4014 | Aluminium + PC



IP40




A-A++

62046F | 46W | SMD 4014 | Aluminium + PC



IP40



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62030F/W/C	White	Cool white	4000K	30W	2400lm	230V		10	Complete with driver
62030F/W/W	White	Warm white	3000K	30W	2300lm	230V		10	Complete with driver
62038F/W/C	White	Cool white	4000K	38W	3000lm	230V		5	Complete with driver
62038F/W/W	White	Warm white	3000K	38W	2900lm	230V		5	Complete with driver
62046F/W/C	White	Cool white	4000K	46W	3600lm	230V		5	Complete with driver
62046F/W/W	White	Warm white	3000K	46W	3500lm	230V		5	Complete with driver

The Ultra Slim LED Floating Plafo

Aluminium


62140FB | 40W | SMD 2835 | Aluminium


IP20

A-A++ 62140FB/W/W



62140FB/B/C


62160FB | 60W | SMD 2835 | Aluminium


IP20

A-A++ 62160FB/W/W



62160FB/B/C



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	Box	Notes
62140FB/W/C	White	Cool white	4000K	40W	3500lm	230V	⌚	4	Complete with 1000mA driver
62140FB/W/W	White	Warm white	3000K	40W	3500lm	230V	⌚	4	Complete with 1000mA driver
62140FB/B/C	Black	Cool white	4000K	40W	3500lm	230V	⌚	4	Complete with 1000mA driver
62160FB/W/C	White	Cool white	4000K	60W	5300lm	230V	⌚	3	Complete with 1500mA driver
62160FB/W/W	White	Warm white	3000K	60W	5300lm	230V	⌚	3	Complete with 1500mA driver
62160FB/B/C	Black	Cool white	4000K	60W	5300lm	230V	⌚	3	Complete with 1500mA driver

LED Indoor Plafo

Aluminium

67438/W/W

67436A/W/W



A-A++

67436 | 20W | SMD 2835 | Aluminium


IP44



A-A++

67436A | 32W | SMD 2835 | Aluminium


IP44



A-A++

67438/B/W

67438 | 40W | SMD 2835 | Aluminium


IP20



67438/W/W



A-A++

67438A/B/W

67438A | 45W | SMD 2835 | Aluminium


IP20



67438A/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67436/W/W	White	Warm white	3000K	20W	1400lm	230V		5	Complete with 600mA driver
67436A/W/W	White	Warm white	3000K	32W	2250lm	230V		5	Complete with 500mA driver
67438/W/W	White	Warm white	3000K	40W	2800lm	230V		1	Complete with 500mA driver
67438/B/W	Black	Warm white	3000K	40W	2800lm	230V		1	Complete with 500mA driver
67438A/W/W	White	Warm white	3000K	45W	3150lm	230V		1	Complete with 450mA driver
67438A/B/W	Black	Warm white	3000K	45W	3150lm	230V		1	Complete with 450mA driver

The E27 Plafo Outdoor Range

Round



B-A+ 67280E/B

67280E | 12W | E27 | ABS + PC



IP65




67280E/W



67280E/G



67280E/AN



B-A+ 67280EA/B

67280EA | 2x12W | E27 | ABS + PC



IP65



67280EA/W



67280EA/G




67280EA/AN





Order Code	Colour	Watts	Input	Class		Notes
67280E/W	White	12W	100-240V		10	-
67280E/AN	Anthracite	12W	100-240V		10	-
67280E/B	Black	12W	100-240V		10	-
67280E/G	Grey	12W	100-240V		10	-
67280EA/W	White	2x12W	100-240V		10	-
67280EA/AN	Anthracite	2x12W	100-240V		10	-
67280EA/B	Black	2x12W	100-240V		10	-
67280EA/G	Grey	2x12W	100-240V		10	-

The E27 Plafo Outdoor Range


Square

 B-A⁺⁺ 67282E/B	67282E 12W E27 ABS + PC   IP65  221x221mm  93mm 					
 B-A⁺⁺	67282 18W E27 PC   IP65  Suitable for E27 LED lamp. 240x240mm  93mm 					
 B-A⁺⁺	67282A 2x18W E27 PC   IP65  Suitable for E27 LED lamps. 296x296mm  94mm 					
 B-A⁺⁺ 67282EA/B	67282EA 2x12W E27 ABS + PC   IP65  295x295mm  105mm 					
Order Code	Colour	Watts	Input	Class		Notes
67282E/W	White	12W	100-240V		10	-
67282E/AN	Anthracite	12W	100-240V		10	-
67282E/B	Black	12W	100-240V		10	-
67282E/G	Grey	12W	100-240V		10	-
67282/W	White	18W	100-240V		12	-
67282A/W	White	2x18W	100-240V		8	-
67282EA/W	White	2x12W	100-240V		10	-
67282EA/AN	Anthracite	2x12W	100-240V		10	-
67282EA/B	Black	2x12W	100-240V		10	-
67282EA/G	Grey	2x12W	100-240V		10	-

The LED Plafo Outdoor Round


 A-A++ 67280N/W	67280N 16W SMD 2835 ABS + PC    								
 A-A++ 67280AN/W	67280AN 24W SMD 2835 ABS + PC    								
 A-A++ 67280BN/W	67280BN 30W SMD 2835 ABS + PC    								
 A-A++	67280ANE 15W SMD 2835 Emergency 3Hrs Maintained ABS + PC    								
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67280N/W/C	White	Cool white	4000K	16W	960lm	230V		10	Complete with 500mA driver
67280N/W/W	White	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67280N/AN/W	Anthracite	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67280N/G/W	Grey	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67280AN/W/C	White	Cool white	4000K	24W	1440lm	230V		10	Complete with 600mA driver
67280AN/W/W	White	Warm white	3000K	24W	1440lm	230V		10	Complete with 600mA driver
67280AN/AN/W	Anthracite	Warm white	3000K	24W	1440lm	230V		10	Complete with 600mA driver
67280AN/G/W	Grey	Warm white	3000K	24W	1440lm	230V		10	Complete with 600mA driver
67280BN/W/W	White	Warm white	3000K	30W	1800lm	230V		5	Complete with 700mA driver
67280BN/AN/W	Anthracite	Warm white	3000K	30W	1800lm	230V		5	Complete with 700mA driver
67280BN/G/W	Grey	Warm white	3000K	30W	1800lm	230V		5	Complete with 700mA driver
67280ANE/G/W	Grey	Warm white	3000K	15W	1000lm	230V		10	Emergency 3Hrs Maintained

The LED Plafo Outdoor Square Plastic



A-A++ 67282N/W

67282N | 16W | SMD 2835 | ABS + PC



67282N/G




67282N/AN



A-A++ 67282AN/W

67282AN | 24W | SMD 2835 | ABS + PC



67282AN/G




67282AN/AN



A-A++ 67282BN/W

67282BN | 30W | SMD 2835 | ABS + PC



67282BN/G




67282BN/AN



A-A++

67282ANE | 16W | SMD 2835 | Emergency 3Hrs Maintained | ABS + PC



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67282N/W/W	White	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67282N/AN/W	Anthracite	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67282N/G/W	Grey	Warm white	3000K	16W	960lm	230V		10	Complete with 500mA driver
67282AN/W/W	White	Warm white	3000K	24W	1440lm	230V		10	Complete with 600mA driver
67282AN/AN/W	Anthracite	Warm white	3000K	24W	1440lm	230V		10	Complete with 600mA driver
67282AN/G/W	Grey	Warm white	3000K	24W	1440lm	230V		10	Complete with 600mA driver
67282BN/W/W	White	Warm white	3000K	30W	1800lm	230V		4	Complete with 700mA driver
67282BN/AN/W	Anthracite	Warm white	3000K	30W	1800lm	230V		4	Complete with 700mA driver
67282BN/G/W	Grey	Warm white	3000K	30W	1800lm	230V		4	Complete with 700mA driver
67282ANE/G/W	Grey	Warm white	3000K	16W	1280lm	230V		10	Emergency 3Hrs Maintained

Outdoor Slim LED Plafo

Die cast



A-A++ 67362/AN/W

67362 | 25W | SMD LED | Die cast



IP54



67362/W/W



A-A++ 67363/AN/W

67363 | 30W | SMD LED | Die cast



IP54



67363/W/W



A-A++ 67362A/AN/W

67362A | 25W | SMD LED | Die cast



IP54



67362A/W/W



A-A++ 67363A/AN/W


67363A | 30W | SMD LED | Die cast



IP54



67363A/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67362/W/W	White	Warm white	3000K	25W	1600lm	230V	⌚	8	Complete with 350mA driver
67362/AN/W	Anthracite	Warm white	3000K	25W	1600lm	230V	⌚	8	Complete with 350mA driver
67363/W/W	White	Warm white	3000K	30W	2500lm	100-240V	⌚	6	Complete with 700mA driver
67363/AN/W	Anthracite	Warm white	3000K	30W	2500lm	100-240V	⌚	6	Complete with 700mA driver
67362A/W/W	White	Warm white	3000K	25W	1600lm	230V	⌚	8	Complete with 350mA driver
67362A/AN/W	Anthracite	Warm white	3000K	25W	1600lm	230V	⌚	8	Complete with 350mA driver
67363A/W/W	White	Warm white	3000K	30W	2500lm	100-240V	⌚	6	Complete with 700mA driver
67363A/AN/W	Anthracite	Warm white	3000K	30W	2500lm	100-240V	⌚	6	Complete with 700mA driver

Outdoor Project LED Plafo

Die cast



A-A** 67384/AN/W


67384 | 30W | SMD 3014 | Die cast



IP54



67384/W/W



A-A** 67384A/AN/W

67384A | 30W | SMD 3014 | Die cast



IP54



67384A/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67384/W/W	White	Warm white	3000K	30W	2500lm	100-240V	⌚	4	Complete with 700mA driver
67384/AN/W	Anthracite	Warm white	3000K	30W	2500lm	100-240V	⌚	4	Complete with 700mA driver
67384A/W/W	White	Warm white	3000K	30W	2500lm	100-240V	⌚	4	Complete with 700mA driver
67384A/AN/W	Anthracite	Warm white	3000K	30W	2500lm	100-240V	⌚	4	Complete with 700mA driver

The LED Slim Plafo Range

Round



67366 | 12W | SMD 2835 | PC




IP54



67366E | 12W | SMD 2835 | Emergency 3Hrs Maintained | PC




IP54



67368 | 18W | SMD 2835 | PC




IP54



67368M | 25W | SMD 2835 | Sensor 120sec timer | PC



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67366/W/C	White	Cool white	4000K	12W	960lm	100-240V		20	Complete with 160mA driver
67366/W/W	White	Warm white	3000K	12W	900lm	100-240V		20	Complete with 160mA driver
67366E/W/C	White	Cool white	4000K	12W	960lm	230V		20	Emergency 3Hrs Maintained
67366E/W/W	White	Warm white	3000K	12W	900lm	230V		20	Emergency 3Hrs Maintained
67368/W/C	White	Cool white	4000K	18W	1488lm	100-240V		10	Complete with 225mA driver
67368/W/W	White	Warm white	3000K	18W	1350lm	100-240V		10	Complete with 225mA driver
67368M/W/C	White	Cool white	4000K	25W	2100lm	230V		10	Complete with driver
67368M/W/W	White	Warm white	3000K	25W	2000lm	230V		10	Complete with driver

The LED Slim Plafo Range

PC



67370 | 25W | SMD 2835 | PC



IP54



67372 | 25W | SMD 2835 | PC



IP54



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67370/W/C	White	Cool white	4000K	25W	2000lm	100-240V		10	Complete with 300mA driver
67370/W/W	White	Warm white	3000K	25W	1875lm	100-240V		10	Complete with 300mA driver
67372/W/C	White	Cool white	4000K	25W	2000lm	100-240V		10	Complete with 300mA driver
67372/W/W	White	Warm white	3000K	25W	1875lm	100-240V		10	Complete with 300mA driver

The IP44 Ceiling Plafo

Steel




E-A++

62100 | 40W | G9 | Steel


IP44
offer


Suitable for G9 LED lamp.



180mm



50mm



E-A++


62200 | 60W | E27 | Steel



IP44



Suitable for E27 LED lamp.



315mm



80mm



E-A++


62300 | 2x60W | E27 | Steel



IP44



Suitable for E27 LED lamps.



410mm



100mm



Order Code	Colour	Watts	Input	Class		Notes
62100/MC	Brushed chrome	40W	100-240V	⊕	20	Indoor use only
62200/MC	Brushed chrome	60W	100-240V	⊕	6	Indoor use only
62300/MC	Brushed chrome	2x60W	100-240V	⊕	5	Indoor use only



Stainless Steel Outdoor Plafo



B-A**


67316A | 26W | E27 | Stainless steel + glass



IP54



Suitable for E27 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
67316A	Stainless steel	26W	100-240V		6	-



64002/G/C



64004/G/C



64006/G/C


Multi LED Slim Plafo

Round




A-A++ 64002/W/C

64002 | 7W | LED | Die cast




A-A++ 64002/G/C

64002 | 7W | LED | Die cast




A-A++

64004 | 16W | LED | Die cast



A-A++

64006 | 24W | LED | Die cast



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
64002/W/C	White	Cool white	4000K	7W	400lm	230V		10	Complete with driver
64002/G/C	Grey	Cool white	4000K	7W	400lm	230V		10	Complete with driver
64004/G/C	Grey	Cool white	4000K	16W	860lm	230V		10	Complete with driver
64006/G/C	Grey	Cool white	4000K	24W	1500lm	230V		10	Complete with driver



64008/G/C



64010/G/C

Multi LED Slim Plafo

Square




A-A⁺⁺

64008 | 8W | LED | Die cast

DARK
LIGHT
IP20
offer



super slim!



140mm

22mm




A-A⁺⁺

64010 | 17W | LED | Die cast

DARK
LIGHT
IP20
offer



super slim!



190mm

22mm



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
64008/G/C	Grey	Cool white	4000K	8W	500lm	230V		10	Complete with driver
64010/G/C	Grey	Cool white	4000K	17W	1100lm	230V		10	Complete with driver

The LED Decorative Plafo

Round



62144N/W/W



62132N/W/W


A-A⁺⁺ 62130N/AN/W

62130N | 20W | SMD 2835 | Aluminium


IP20



62130N/W/W


A-A⁺⁺ 62132N/AN/W

62132N | 32W | SMD 2835 | Aluminium


IP20



62132N/W/W



A-A⁺⁺ 62142N/AN/W

62142N | 42W | SMD 2835 | Aluminium


IP20



62142N/W/W



A-A⁺⁺ 62144N/B/W

62144N | 50W | SMD 2835 | Metal


IP20



62144N/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
62130N/W/W	White	Warm white	3000K	20W	1200lm	120°	230V	⌚	1	Complete with 500mA driver
62130N/AN/W	Anthracite	Warm white	3000K	20W	1200lm	120°	230V	⌚	1	Complete with 500mA driver
62132N/W/W	White	Warm white	3000K	32W	1920lm	120°	230V	⌚	1	Complete with 750mA driver
62132N/AN/W	Anthracite	Warm white	3000K	32W	1920lm	120°	230V	⌚	1	Complete with 750mA driver
62142N/W/W	White	Warm white	3000K	42W	2520lm	120°	230V	⌚	1	Complete with 1000mA driver
62142N/AN/W	Anthracite	Warm white	3000K	42W	2520lm	120°	230V	⌚	1	Complete with 1000mA driver
62144N/W/W	White	Warm white	3000K	50W	2750lm	120°	230V	⌚	1	Complete with 1200mA driver
62144N/B/W	Black	Warm white	3000K	50W	2750lm	120°	230V	⌚	1	Complete with 1200mA driver

one

The LED Decorative Plafo Square



A-A++ 62132NA/B/W

62132NA | 38W | SMD 2835 | Aluminium



IP20



62132NA/W/W



A-A++ 62142NA/B/W


62142NA | 50W | SMD 2835 | Aluminium



IP20



62142NA/W/W



A-A++

62135NA | 35W | SMD 2835 | Metal



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62132NA/W/W	White	Warm white	3000K	38W	2280lm	120°	230V	⌚	1	Complete with 950mA driver
62132NA/B/W	Black	Warm white	3000K	38W	2280lm	120°	230V	⌚	1	Complete with 950mA driver
62142NA/W/W	White	Warm white	3000K	50W	3000lm	120°	230V	⌚	1	Complete with 1200mA driver
62142NA/B/W	Black	Warm white	3000K	50W	3000lm	120°	230V	⌚	1	Complete with 1200mA driver
62135NA/W/W	White	Warm white	3000K	35W	2100lm	120°	230V	⌚	1	Complete with 700mA driver

The LED Slim Line Plafo




A-A++ 62160/B/W



IP20



62160/W/W



62160A | 62W | SMD 2835 | Aluminium



IP20



A-A++ 62160A/B/W



62160A/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62160/W/W	White	Warm white	3000K	62W	3600lm	120°	230V	⚡	1	Complete with 1500mA driver
62160/B/W	Black	Warm white	3000K	62W	3600lm	120°	230V	⚡	1	Complete with 1500mA driver
62160A/W/W	White	Warm white	3000K	62W	3600lm	120°	230V	⚡	1	Complete with 1500mA driver
62160A/B/W	Black	Warm white	3000K	62W	3600lm	120°	230V	⚡	1	Complete with 1500mA driver

The LED Project Plafo

Metal



62160/W/W



62125D/W/C



A-A⁺⁺

62118D | 18W | SMD 2835 | Metal



IP20



A-A⁺⁺

62125D | 25W | SMD 2835 | Metal



IP20



A-A⁺⁺

62150D | 50W | SMD 2835 | Metal



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class		Notes
62118D/W/W	White	Warm white	3000K	18W	1100lm	120°	230V	⌚	1	Complete with 300mA driver
62125D/W/C	White	Cool white	4000K	25W	1600lm	120°	230V	⌚	1	Complete with 700mA driver
62125D/W/W	White	Warm white	3000K	25W	1500lm	120°	230V	⌚	1	Complete with 700mA driver
62150D/W/C	White	Cool white	4000K	50W	3150lm	120°	230V	⌚	1	Complete with 1400mA driver
62150D/W/W	White	Warm white	3000K	50W	3000lm	120°	230V	⌚	1	Complete with 1400mA driver

one




67404M/W/W



67404A/W/C

Indoor LED & Music Plafo

 A-A++	67404M 12W SMD 2835 PC  IP40  								
 A-A++	67404 18W SMD 2835 PC  IP40  								
 A-A++	67404A 25W SMD 2835 PC  IP40  								
 A-A++	62025 24W SMD LED Dimmable + RGB + Speaker ABS + PMMA  IP20  Application iLight.   Bluetooth speaker plafo.								
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67404M/W/W	White	Warm white	3000K	12W	1100lm	100-240V		20	Complete with driver
67404/W/C	White	Cool white	4000K	18W	1700lm	100-240V		10	Complete with driver
67404/W/W	White	Warm white	3000K	18W	1650lm	100-240V		10	Complete with driver
67404A/W/C	White	Cool white	4000K	25W	2350lm	100-240V		10	Complete with driver
67404A/W/W	White	Warm white	3000K	25W	2300lm	100-240V		10	Complete with driver
62025	White	Extra warm white - Daylight	2700K - 6500K	24W	1560lm	100-240V		5	Complete with driver

The LED Plafo Range



A-A++ 67402/W/W


67402 | 25W | SMD 2835 | Aluminium + PC



IP40



67402/B/W



A-A++ 67390/W/W


67390 | 21W | SMD 2835 | ABS + PC



IP65



67390/AN/C



A-A++

67448 | 24W | SMD LED | Metal + Plastic



IP20



A-A++

67448A | 36W | SMD LED | Metal + Plastic



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
67402/W/W	White	Warm white	3000K	25W	1850lm	100-240V	⌚	10	Complete with driver
67402/B/W	Black	Warm white	3000K	25W	1850lm	100-240V	⌚	10	Complete with driver
67390/W/W	White	Warm white	3000K	21W	1300lm	230V	⌚	10	Complete with 500mA driver
67390/AN/C	Anthracite	Cool white	4000K	21W	1300lm	230V	⌚	10	Complete with 500mA driver
67390/AN/W	Anthracite	Warm white	3000K	21W	1300lm	230V	⌚	10	Complete with 500mA driver
67448/W/W	White	Warm white	3000K	24W	1800lm	100-240V	⌚	5	Complete with 560mA driver
67448A/W/W	White	Warm white	3000K	36W	2700lm	100-240V	⌚	5	Complete with 850mA driver