

13

Wall & Ceiling

Pages 321-358

R111 | MR16 | PAR30 | GU10 | G9 | GX53 | E27

Die cast | Natural aluminium | Gypsum | Stainless steel

 IP20 IP44 IP54

 ADJUSTABLE ADJUSTABLE DARK LIGHT

CE

2
YEAR3
YEAR5
YEAR

one



62210B/B



62110B/W

The R111 GU10 Spots

Aluminium



E-A++ 62110B/W


62110B | 75W | R111 | GU10 | Aluminium



IP20



Suitable for R111 LED lamp.



E-A++ 62110B/B


62110B | 75W | R111 | GU10 | Aluminium



IP20



Suitable for R111 LED lamp.



E-A++ 62210B/W


62210B | 2x75W | R111 | GU10 | Aluminium



IP20



Suitable for R111 LED lamps.



E-A++ 62210B/B


62210B | 2x75W | R111 | GU10 | Aluminium



IP20



Suitable for R111 LED lamps.



Order Code	Colour	Watts	Input	Class		Notes
62110B/W	White	75W	100-240V	⌚	20	-
62110B/B	Black	75W	100-240V	⌚	20	-
62210B/W	White	2x75W	100-240V	⌚	20	-
62210B/B	Black	2x75W	100-240V	⌚	20	-

The R111 GU10 Spots

Natural aluminium



E-A++

62110 | 75W | R111 | GU10 | Natural aluminium


IP20

offer



Suitable for R111 LED lamp.




E-A++

62110A | 75W | R111 | GU10 | Natural aluminium


IP20



Suitable for R111 LED lamp.




E-A++

62210A | 2x75W | R111 | GU10 | Natural aluminium


IP20



Suitable for R111 LED lamps.



E-A++

62310A | 3x75W | R111 | GU10 | Natural aluminium


IP20



Suitable for R111 LED lamps.



Order Code	Colour	Watts	Input	Class		Notes
62110/AL	Aluminium	75W	100-240V		12	-
62110A/AL	Aluminium	75W	100-240V		10	-
62210A/AL	Aluminium	2x75W	100-240V		6	-
62310A/AL	Aluminium	3x75W	100-240V		4	-



404

Indirect Wall Light

Natural aluminium



B-A**


38108J | 8W | T5 | Natural aluminium



Order Code	Colour	Watts	Input	Class		Notes
38108J/AL	Aluminium	8W	230V		12	Complete with electronic ballast

The Decorative Wall Lights

Gypsum



60038 | 20W | E27 | Gypsum



IP20



Suitable for E27 LED lamp.




60040 | 40W | G9 | Gypsum



IP20



Suitable for G9 LED lamp.




60042 | 40W | G9 | Gypsum



IP20



Suitable for G9 LED lamp.




60054 | 2x35W | MR16 | GU10 | Gypsum



IP20



Suitable for GU10 LED lamps.



Order Code	Colour	Watts	Input	Class		Notes
60038	White	20W	100-240V		6	-
60040	White	40W	100-240V		18	-
60042	White	40W	100-240V		9	-
60054	White	2x35W	100-240V		9	-



The Chill Out Cylinder

GU10



12105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector

Reflector must be ordered separately.



							
050112/W White	050112/B Black	050112/G Grey	050112/BS Brass	new 050112/ABS Antique brass	050112/GL Gold	050112/CU Copper	new 050112/DC Dark chrome
Order Code	Colour	Watts	Input	Class			Notes
12105M/W	White	10W	100-240V	⌚	20		-
12105M/B	Black	10W	100-240V	⌚	20		-



12205NA/B



12105NA/B



12105N/W

GU10 Dark Light Aluminium




A-A⁺⁺ 12105N/W

12105N | 10W | MR16 | GU10 | Aluminium



12105N/B




A-A⁺⁺ 12105NA/W

12105NA | 10W | MR16 | GU10 | Aluminium



12105NA/B




A-A⁺⁺ 12205NA/W

12205NA | 2x10W | MR16 | GU10 | Aluminium



12205NA/B



Order Code	Colour	Reflector	Watts	Input	Class		Notes
12105N/W	White	Black	10W	100-240V	⌚	36	-
12105N/B	Black	Brass	10W	100-240V	⌚	36	-
12105NA/W	White	Black	10W	100-240V	⌚	36	-
12105NA/B	Black	Brass	10W	100-240V	⌚	36	-
12205NA/W	White	Black	2x10W	100-240V	⌚	24	-
12205NA/B	Black	Brass	2x10W	100-240V	⌚	24	-

one

GU10 Ceiling Cylinders Aluminium



B-A+ 12105E/W


12105E | 20W | MR16 | GU10 | Aluminium



**DARK
LIGHT**
IP20



12105E/B




B-A+


12105D | 20W | MR16 | GU10 | Aluminium



IP20



Order Code	Colour	Watts	Input	Class		Notes
12105E/W	White	20W	100-240V	⌚	20	-
12105E/B	Black	20W	100-240V	⌚	20	-
12105D/W	White	20W	100-240V	⌚	20	-



The Dark Light Cylinders

Aluminium




A-A+ 12105AL/W/B

12105AL | 10W | MR16 | GU10 | Aluminium



12105AL/W/GL




A-A+ 12105AL/B/B

12105AL | 10W | MR16 | GU10 | Aluminium



12105AL/B/GL



Order Code	Colour	Reflector	Watts	Input	Class		Notes
12105AL/W/B	White	Black	10W	100-240V	⌚	20	-
12105AL/W/GL	White	Gold	10W	100-240V	⌚	20	-
12105AL/B/B	Black	Black	10W	100-240V	⌚	20	-
12105AL/B/GL	Black	Gold	10W	100-240V	⌚	20	-



GU10 Decorative Cylinders

Aluminium





12105T | 10W | MR16 | GU10 | Aluminium



new

IP20




12205T | 2x10W | MR16 | GU10 | Aluminium



new

IP20



Order Code	Colour	Reflector	Watts	Input	Class		Notes
12105T/W	White	Brass	10W	100-240V	⊙	25	-
12105T/B	Black	Brass	10W	100-240V	⊙	25	-
12205T/W	White	Brass	2x10W	100-240V	⊙	10	-
12205T/B	Black	Brass	2x10W	100-240V	⊙	10	-



GU10 Decorative Square Cylinders

Aluminium




12105TA | 10W | MR16 | GU10 | Aluminium



new

IP20




12205TA | 2x10W | MR16 | GU10 | Aluminium



new

IP20



Order Code	Colour	Reflector	Watts	Input	Class		Notes
12105TA/W	White	Brass	10W	100-240V	⌚	25	-
12105TA/B	Black	Brass	10W	100-240V	⌚	25	-
12205TA/W	White	Brass	2x10W	100-240V	⌚	10	-
12205TA/B	Black	Brass	2x10W	100-240V	⌚	10	-



GU10 Adjustable Cylinders

Aluminium




12105Y | 10W | MR16 | GU10 | Aluminium



new

IP20




12205Y | 2x10W | MR16 | GU10 | Aluminium



new

IP20



Order Code	Colour	Watts	Input	Class		Notes
12105Y/W	White	10W	100-240V	⊕	25	-
12105Y/B	Black	10W	100-240V	⊕	25	-
12205Y/W	White	2x10W	100-240V	⊕	5	-
12205Y/B	Black	2x10W	100-240V	⊕	5	-



GU10 Adjustable Square Cylinders

Aluminium



A-A⁺

12105YA/B

12105YA

| 10W | MR16 | GU10 | Aluminium







CE

5

YEAR

ADJUSTABLE


new

IP20



12105YA/W

96mm | 96mm



125mm





A-A⁺

12205YA/B

12205YA

| 2x10W | MR16 | GU10 | Aluminium







CE

5

YEAR

ADJUSTABLE


new

IP20



12205YA/W

96mm | 182mm







125mm



Order Code	Colour	Watts	Input	Class		Notes
12105YA/W	White	10W	100-240V		25	-
12105YA/B	Black	10W	100-240V		25	-
12205YA/W	White	2x10W	100-240V		10	-
12205YA/B	Black	2x10W	100-240V		10	-



Adjustable Ceiling Lights

 E-A⁺⁺	12140 75W PAR30 E27 Die cast    Suitable for PAR30 LED lamp.
 E-A⁺⁺	12140G 75W R111 GU10 Die cast    Suitable for R111 LED lamp.
 E-A⁺⁺	12142 75W R111 GU10 Aluminium    Suitable for R111 LED lamp.
 E-A⁺⁺ 12138G/W	12138G 75W R111 GU10 Die cast     12138G/B 12138G/G

Order Code	Colour	Watts	Input	Class		Notes
12140/G	Grey	75W	100-240V	⌚	18	-
12140G/G	Grey	75W	100-240V	⌚	18	-
12142/W	White	75W	100-240V	⌚	20	-
12138G/W	White	75W	100-240V	⌚	32	-
12138G/B	Black	75W	100-240V	⌚	32	-
12138G/G	Grey	75W	100-240V	⌚	32	-



R111 GU10 Ceiling Lights



B-A+ 12144/B

12144 | 15W | R111 | GU10 | Aluminium




new

IP20



12144/W



B-A+ 12144A/B

12144A | 15W | R111 | GU10 | Aluminium




new


IP20



12144A/W



Order Code	Colour	Watts	Input	Class		Notes
12144/W	White	15W	100-240V	⊕	10	-
12144/B	Black	15W	100-240V	⊕	10	-
12144A/W	White	15W	100-240V	⊕	10	-
12144A/B	Black	15W	100-240V	⊕	10	-



Square Ceiling Lights

Natural aluminium




12105B | 35W | MR16 | GU10 | Natural aluminium



IP20



Suitable for GU10 LED lamp.




12205B | 2x35W | MR16 | GU10 | Natural aluminium



IP20



Suitable for GU10 LED lamps.



Order Code	Colour	Watts	Input	Class		Notes
12105B/AL	Aluminium	35W	100-240V	⊕	20	-
12205B/AL	Aluminium	2x35W	100-240V	⊕	20	-



The GU10 Ceiling Lights



Aluminium



12105AB | 10W | MR16 | GU10 | Aluminium




IP20



12105AC | 10W | MR16 | GU10 | Aluminium



IP20



Order Code	Colour	Watts	Input	Class		Notes
12105AB/W	White	10W	100-240V	⌚	20	-
12105AB/B	Black	10W	100-240V	⌚	20	-
12105AB/AL	Aluminium	10W	100-240V	⌚	20	-
12105AC/W	White	10W	100-240V	⌚	10	-
12105AC/B	Black	10W	100-240V	⌚	10	-
12105AC/AL	Aluminium	10W	100-240V	⌚	10	-

The GU10 & G9 Ceiling Lights



E-A++

12132 | 50W | MR16 | GU10 | Natural aluminium




IP20

offer



Suitable for GU10 LED lamp.



E-A++

12126 | 50W | MR16 | GU10 | Natural aluminium




IP20

offer



Suitable for GU10 LED lamp.



E-A++

12124 | 35W | MR16 | GU10 | Natural aluminium




IP20

offer



Suitable for GU10 LED lamp.



E-A++

12134/AL


12134 | 50W | MR16 | GU10 | Natural aluminium



IP20



12134/B



B-A++

12120 | 25W | G9 | Natural aluminium




IP20

offer



Suitable for G9 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
12132/AL	Aluminium	50W	100-240V	⌚	50	-
12126/AL	Aluminium	50W	100-240V	⌚	20	-
12124/AL	Aluminium	35W	100-240V	⌚	12	-
12134/B	Black	50W	100-240V	⌚	20	-
12134/AL	Aluminium	50W	100-240V	⌚	20	-
12120/AL	Aluminium	25W	100-240V	⌚	4	-


one



The GU10 Indoor/Outdoor Spots




67300 | 35W | MR16 | GU10 | Natural aluminium




IP54




Suitable for GU10 LED lamp.




67164 | 35W | MR16 | GU10 | Aluminium




IP54



67162 | 35W | MR16 | GU10 | Aluminium



IP54



Order Code	Colour	Watts	Input	Class		Notes
67300/AL	Aluminium	35W	100-240V	⊕	10	-
67164/G	Grey	35W	100-240V	⊕	20	-
67164/AL	Aluminium	35W	100-240V	⊕	10	-
67164/BR	Rust brown	35W	100-240V	⊕	20	-
67162/G	Grey	35W	100-240V	⊕	20	-
67162/AL	Aluminium	35W	100-240V	⊕	10	-
67162/BR	Rust brown	35W	100-240V	⊕	20	-



60056/B



6017/W



6017A/W

G9 Decorative Wall Lights

Aluminium



C-A++ 60056/W


60056 | 30W | G9 | Aluminium



IP20



60056/B



C-A++ 6017/W


6017 | 30W | G9 | Aluminium



IP20



6017/B



C-A++ 6017A/W


6017A | 30W | G9 | Aluminium



IP20



6017A/B



C-A++ 6030/W


6030 | 30W | G9 | Mirror reflector | Aluminium



IP20



6030/B



Order Code	Colour	Watts	Input	Class		Notes
60056/W	White	30W	100-240V		20	-
60056/B	Black	30W	100-240V		20	-
6017/W	White	30W	100-240V		20	-
6017/B	Black	30W	100-240V		20	-
6017A/W	White	30W	100-240V		20	-
6017A/B	Black	30W	100-240V		20	-
6030/W	White	30W	100-240V		20	-
6030/B	Black	30W	100-240V		20	-

one



The GU10 & G9 Wall Lights




6017G | 40W | G9 | Natural aluminium



IP20



Suitable for G9 LED lamp.




6012 | 40W | G9 | Natural aluminium



IP20



Suitable for G9 LED lamp.



6022 | 2x50W | MR16 | GU10 | Natural aluminium




IP20

offer



Suitable for GU10 LED lamps.



6005 | 50W | MR16 | GU10 | Die cast




IP20

offer



Suitable for GU10 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
6017G/AL	Aluminium	40W	100-240V	⌚	20	-
6012/AL	Aluminium	40W	100-240V	⌚	10	-
6022/AL	Aluminium	2x50W	100-240V	⌚	25	-
6005/G	Grey	50W	100-240V	⌚	20	-



67302/AL

67302A/AL

The GX53 Range

Natural aluminium



B-A⁺⁺

67302 | 9W | GX53 | Natural aluminium



IP54



Suitable for GX53 LED lamp.



B-A⁺⁺

67302A | 2x9W | GX53 | Natural aluminium



IP54



Suitable for GX53 LED lamps.



B-A⁺⁺


67228 | 9W | GX53 | Natural aluminium



IP54



Suitable for GX53 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
67302/AL	Aluminium	9W	100-240V	⌚	20	-
67302A/AL	Aluminium	2x9W	100-240V	⌚	10	-
67228/AL	Aluminium	9W	100-240V	⌚	20	-



Indoor/Outdoor Wall Lights

Natural aluminium




67160 | 2x35W | MR16 | GU10 | Natural aluminium



IP54



Suitable for GU10 LED lamps.




67163 | 2x35W | MR16 | GU10 | Natural aluminium



IP54





Suitable for GU10 LED lamps.



Order Code	Colour	Watts	Input	Class		Notes
67160/AL	Aluminium	2x35W	100-240V	⌚	10	-
67163/AL	Aluminium	2x35W	100-240V	⌚	10	-

The GU10 Outdoor Wall Lights

Die cast

 E-A⁺⁺ 67400A/W	67400A 35W MR16 GU10 Die cast							 67400A/AN	 67400A/B	 67400A/G	
 E-A⁺⁺ 67400B/W	67400B 2x35W MR16 GU10 Die cast							 67400B/AN	 67400B/B	 67400B/G	
Order Code	Colour	Watts	Input	Class		Notes					
67400A/W	White	35W	100-240V		12	-					
67400A/AN	Anthracite	35W	100-240V		12	-					
67400A/B	Black	35W	100-240V		12	-					
67400A/G	Grey	35W	100-240V		12	-					
67400B/W	White	2x35W	100-240V		12	-					
67400B/AN	Anthracite	2x35W	100-240V		12	-					
67400B/B	Black	2x35W	100-240V		12	-					
67400B/G	Grey	2x35W	100-240V		12	-					



The PAR30 Outdoor Wall Lights


Die cast



67400D | 20W | PAR30 | E27 | Die cast




IP65



67400E | 2x20W | PAR30 | E27 | Die cast



IP65





Order Code	Colour	Watts	Input	Class		Notes
67400D/W	White	20W	100-240V	⌚	6	-
67400D/AN	Anthracite	20W	100-240V	⌚	6	-
67400D/B	Black	20W	100-240V	⌚	6	-
67400D/G	Grey	20W	100-240V	⌚	6	-
67400E/W	White	2x20W	100-240V	⌚	6	-
67400E/AN	Anthracite	2x20W	100-240V	⌚	6	-
67400E/B	Black	2x20W	100-240V	⌚	6	-
67400E/G	Grey	2x20W	100-240V	⌚	6	-



The GU10 Outdoor Cube Lights

Die cast

 A-A⁺⁺ 67426/AN	   		 67426/W	 67426/B	 67426/G	
 A-A⁺⁺ 67426A/AN	   		 67426A/W	 67426A/B	 67426A/G	
Order Code	Colour	Watts	Input	Class		Notes
67426/W	White	7W	100-240V		18	-
67426/AN	Anthracite	7W	100-240V		18	-
67426/B	Black	7W	100-240V		18	-
67426/G	Grey	7W	100-240V		18	-
67426A/W	White	2x7W	100-240V		12	-
67426A/AN	Anthracite	2x7W	100-240V		12	-
67426A/B	Black	2x7W	100-240V		12	-
67426A/G	Grey	2x7W	100-240V		12	-



The GU10 Dark Light Outdoor

Aluminium



E-A++ 67130CD/AN


67130CD | 35W | MR16 | GU10 | Aluminium



67130CD/W



67130CD/B




E-A++ 67130DD/AN


67130DD | 35W | MR16 | GU10 | Aluminium



67130DD/W



67130DD/B



Order Code	Colour	Watts	Input	Class		Notes
67130CD/W	White	35W	100-240V	⌚	18	-
67130CD/AN	Anthracite	35W	100-240V	⌚	18	-
67130CD/B	Black	35W	100-240V	⌚	18	-
67130DD/W	White	35W	100-240V	⌚	18	-
67130DD/AN	Anthracite	35W	100-240V	⌚	18	-
67130DD/B	Black	35W	100-240V	⌚	18	-

one



67130A/W



67130E/BR



67130D/G



67130C/W

GU10 Outdoor Cylinders

Die cast



E-A⁺⁺ 67130C/AN

67130C | 35W | MR16 | GU10 | Die cast



IP54



67130C/W



67130C/B



67130C/G



67130C/BR



E-A⁺⁺ 67130E/AN

67130E | 35W | MR16 | GU10 | Die cast



IP54



67130E/W




67130E/B



67130E/G



67130E/BR



E-A⁺⁺ 67130/AN

67130 | 2x35W | MR16 | GU10 | Die cast



IP54



67130/W




67130/B



67130/G



67130/BR



Order Code	Colour	Watts	Input	Class		Notes
67130C/W	White	35W	100-240V	⌚	30	-
67130C/AN	Anthracite	35W	100-240V	⌚	30	-
67130C/B	Black	35W	100-240V	⌚	30	-
67130C/G	Grey	35W	100-240V	⌚	30	-
67130C/BR	Rust brown	35W	100-240V	⌚	30	-
67130E/W	White	35W	100-240V	⌚	18	-
67130E/AN	Anthracite	35W	100-240V	⌚	18	-
67130E/B	Black	35W	100-240V	⌚	18	-
67130E/G	Grey	35W	100-240V	⌚	18	-
67130E/BR	Rust brown	35W	100-240V	⌚	18	-
67130/W	White	2x35W	100-240V	⌚	18	-
67130/AN	Anthracite	2x35W	100-240V	⌚	18	-
67130/B	Black	2x35W	100-240V	⌚	18	-
67130/G	Grey	2x35W	100-240V	⌚	18	-
67130/BR	Rust brown	2x35W	100-240V	⌚	18	-

GU10 Outdoor Cubes

Die cast



E-A++ 67130D/AN

67130D | 35W | MR16 | GU10 | Die cast



IP54



67130D/W




67130D/B



67130D/G



67130D/BR



E-A++ 67130F/AN

67130F | 35W | MR16 | GU10 | Die cast



IP54



67130F/W




67130F/B



67130F/G



67130F/BR



E-A++ 67130A/AN

67130A | 2x35W | MR16 | GU10 | Die cast



IP54



67130A/W




67130A/B



67130A/G



67130A/BR



Order Code	Colour	Watts	Input	Class		Notes
67130D/W	White	35W	100-240V	⌚	20	-
67130D/AN	Anthracite	35W	100-240V	⌚	20	-
67130D/B	Black	35W	100-240V	⌚	20	-
67130D/G	Grey	35W	100-240V	⌚	20	-
67130D/BR	Rust brown	35W	100-240V	⌚	20	-
67130F/W	White	35W	100-240V	⌚	20	-
67130F/AN	Anthracite	35W	100-240V	⌚	20	-
67130F/B	Black	35W	100-240V	⌚	20	-
67130F/G	Grey	35W	100-240V	⌚	20	-
67130F/BR	Rust brown	35W	100-240V	⌚	20	-
67130A/W	White	2x35W	100-240V	⌚	20	-
67130A/AN	Anthracite	2x35W	100-240V	⌚	20	-
67130A/B	Black	2x35W	100-240V	⌚	20	-
67130A/G	Grey	2x35W	100-240V	⌚	20	-
67130A/BR	Rust brown	2x35W	100-240V	⌚	20	-



67132C | 75W | PAR30 | E27 | Die cast




IP54



67132E | 75W | PAR30 | E27 | Die cast




IP54



67132 | 2x75W | PAR30 | E27 | Die cast



IP54



Order Code	Colour	Watts	Input	Class		Notes
67132C/W	White	75W	100-240V	⌚	18	-
67132C/AN	Anthracite	75W	100-240V	⌚	18	-
67132C/B	Black	75W	100-240V	⌚	18	-
67132C/G	Grey	75W	100-240V	⌚	18	-
67132C/BR	Rust brown	75W	100-240V	⌚	18	-
67132E/AN	Anthracite	75W	100-240V	⌚	12	-
67132E/G	Grey	75W	100-240V	⌚	12	-
67132E/BR	Rust brown	75W	100-240V	⌚	12	-
67132/W	White	2x75W	100-240V	⌚	12	-
67132/AN	Anthracite	2x75W	100-240V	⌚	12	-
67132/G	Grey	2x75W	100-240V	⌚	12	-
67132/BR	Rust brown	2x75W	100-240V	⌚	12	-


PAR30 Outdoor Cubes

Die cast



E-A⁺⁺ 67132D/AN

67132D | 75W | PAR30 | E27 | Die cast



IP54




67132D/W



67132D/B



67132D/G



E-A⁺⁺ 67132F/AN

67132F | 75W | PAR30 | E27 | Die cast




IP54



67132F/B



67132F/G



E-A⁺⁺ 67132A/AN

67132A | 2x75W | PAR30 | E27 | Die cast



IP54




67132A/W



67132A/B



67132A/G



Order Code	Colour	Watts	Input	Class		Notes
67132D/W	White	75W	100-240V		18	-
67132D/AN	Anthracite	75W	100-240V		18	-
67132D/B	Black	75W	100-240V		18	-
67132D/G	Grey	75W	100-240V		18	-
67132F/AN	Anthracite	75W	100-240V		12	-
67132F/B	Black	75W	100-240V		12	-
67132F/G	Grey	75W	100-240V		12	-
67132A/W	White	2x75W	100-240V		12	-
67132A/AN	Anthracite	2x75W	100-240V		12	-
67132A/B	Black	2x75W	100-240V		12	-
67132A/G	Grey	2x75W	100-240V		12	-



The Round E27 Outdoor Plafo

Die cast



67204B | 2x20W | E27 | Die cast



IP54



67204 | 20W | E27 | Die cast




IP54



67206 | 3x20W | E27 | Die cast



IP54



Order Code	Colour	Watts	Input	Class		Notes
67204B/W	White	2x20W	100-240V	⌚	10	-
67204B/AN	Anthracite	2x20W	100-240V	⌚	10	-
67204B/B	Black	2x20W	100-240V	⌚	10	-
67204B/G	Grey	2x20W	100-240V	⌚	10	-
67204/W	White	20W	100-240V	⌚	6	-
67204/AN	Anthracite	20W	100-240V	⌚	6	-
67204/B	Black	20W	100-240V	⌚	6	-
67204/G	Grey	20W	100-240V	⌚	6	-
67206/G	Grey	3x20W	100-240V	⌚	3	-

The Square E27 Outdoor Plafo

Die cast



67208B | 2x20W | E27 | Die cast




IP54



67208 | 20W | E27 | Die cast



IP54



67210 | 2x20W | E27 | Die cast



IP54





Order Code	Colour	Watts	Input	Class		Notes
67208B/W	White	2x20W	100-240V	⌚	10	-
67208B/B	Black	2x20W	100-240V	⌚	10	-
67208B/G	Grey	2x20W	100-240V	⌚	10	-
67208B/AN	Anthracite	2x20W	100-240V	⌚	10	-
67208/W	White	20W	100-240V	⌚	8	-
67208/B	Black	20W	100-240V	⌚	8	-
67208/G	Grey	20W	100-240V	⌚	8	-
67208/AN	Anthracite	20W	100-240V	⌚	8	-
67210/W	White	2x20W	100-240V	⌚	6	-
67210/B	Black	2x20W	100-240V	⌚	6	-
67210/G	Grey	2x20W	100-240V	⌚	6	-
67210/AN	Anthracite	2x20W	100-240V	⌚	6	-

one

The GX53 Outdoor Range

Die cast

 B-A⁺⁺ 	67104P 9W GX53 Die cast   Suitable for GX53 LED lamp.  					
 B-A⁺⁺ 	67106P 9W GX53 Die cast   Suitable for GX53 LED lamp.  					
 B-A⁺⁺ 	67134E 9W GX53 Die cast   Suitable for GX53 LED lamp.  					
 B-A⁺⁺ 	67134A 2x9W GX53 Die cast   Suitable for GX53 LED lamps.  					
Order Code	Colour	Watts	Input	Class		Notes
67104P/G	Grey	9W	100-240V		30	-
67106P/G	Grey	9W	100-240V		30	-
67134E/G	Grey	9W	100-240V		12	-
67134A/W	White	2x9W	100-240V		8	-

Outdoor Plafo

Die cast



67216 | 2x20W | E27 | Die cast



IP54



Suitable for E27 LED lamps.




67214 | 2x20W | E27 | Die cast



IP54



Suitable for E27 LED lamps.



Order Code	Colour	Watts	Input	Class		Notes
67216/G	Grey	2x20W	100-240V	⌚	6	-
67214/G	Grey	2x20W	100-240V	⌚	6	-



67328A/G



67420/W

Outdoor E27 Square

Die cast



B-A+ 67328/G


67328 | 20W | E27 | Die cast + PC



IP54



67328/AN



B-A+ 67328A/G


67328A | 20W | E27 | Die cast + PC



IP54



Suitable for E27 LED lamp.




B-A+ 67292/G

67292 | 2x15W | E27 | Die cast + glass



IP54



Order Code	Colour	Watts	Input	Class		Notes
67328/AN	Anthracite	20W	100-240V		8	-
67328/G	Grey	20W	100-240V		8	-
67328A/G	Grey	20W	100-240V		8	-
67292/G	Grey	2x15W	100-240V		4	-

one

Outdoor E27 Square

Die cast



B-A+ 67420/W

67420 | 15W | E27 | Die cast + frosted glass




IP54



67420/AN



67420/G



B-A+ 67420A/W

67420A | 15W | E27 | Die cast + frosted glass




IP54



67420A/AN



67420A/G



B-A+ 67420B/W

67420B | 2x12W | E27 | Die cast + frosted glass




IP54



67420B/AN



67420B/G



Order Code	Colour	Watts	Input	Class		Notes
67420/W	White	15W	100-240V	⌚	6	-
67420/AN	Anthracite	15W	100-240V	⌚	6	-
67420/B	Black	15W	100-240V	⌚	6	-
67420/G	Grey	15W	100-240V	⌚	6	-
67420A/W	White	15W	100-240V	⌚	6	-
67420A/AN	Anthracite	15W	100-240V	⌚	6	-
67420A/G	Grey	15W	100-240V	⌚	6	-
67420B/W	White	2x12W	100-240V	⌚	4	-
67420B/AN	Anthracite	2x12W	100-240V	⌚	4	-
67420B/B	Black	2x12W	100-240V	⌚	4	-
67420B/G	Grey	2x12W	100-240V	⌚	4	-



Outdoor Wall & Ceiling Spot


Stainless steel



67032 | 35W | MR16 | GU10 | Stainless steel 304



IP44



Order Code	Colour	Watts	Input	Class		Notes
67032	Stainless steel	35W	100-240V		12	-



Outdoor Wall Spot

Stainless steel



E-A++


67030 | 2x35W | MR16 | GU10 | Stainless steel 304



IP44



Suitable for GU10 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
67030	Stainless steel	2x35W	100-240V	⊕	12	-