

18

Decorative

Pages 487-512

MR16 | GU10 | GU5,3 | G4 | G9 | E27 | E14 | SMD LED | LED

Die cast + crystal | Wood | Metal | Plastic | ABS | PC






 IP20 IP44 IP54 IP65




 CE 80 CRI   







Crystal Recessed

Die cast + crystal




10101C4 | 10W | G4 | Die cast + crystal



IP20

offer




10101C5 | 10W | G4 | Die cast + crystal



IP20

offer



Order Code	Colour	Watts	Input	Class					Notes
10101C4/C	Chrome	10W	12V		40cm	60mm	30mm	50	-
10101C5/C	Chrome	10W	12V		40cm	60mm	30mm	50	-

one

Crystal Recessed


Die cast + crystal



E-A**

IP20

10105C4 | 50W | MR16 | GU5,3 | Die cast + crystal



Order Code	Colour	Watts	Input	Class	 40cm	 72mm	 50mm	 4	Notes
10105C4/C	Chrome	50W	12V		40cm	72mm	50mm	4	-



The Oriental Range

Metal



61048A | 40W | E27 | Metal | Table lamp



IP20



Suitable for 9G06F
LED flame lamp.




61048B | 40W | E27 | Metal | Floor lamp



IP20



Suitable for 9G06F
LED flame lamp.



Order Code	Colour	Watts	Input	Class		Notes
61048A	Antique oriental	40W	100-240V		1	-
61048B	Antique oriental	40W	100-240V		1	-

The Oriental Range

Metal





C-A++

61050A | 40W | E27 | Metal | Table lamp



IP20


Suitable for 9G06F
LED flame lamp.

C-A++

61050B | 40W | E27 | Metal | Floor lamp



IP20


Suitable for 9G06F
LED flame lamp.

C-A++


63052 | 40W | E27 | Metal | Pendant



IP20

Suitable for 9G06F
LED flame lamp.

Order Code	Colour	Watts	Input	Class		Notes
61050A	Antique oriental	40W	100-240V		1	-
61050B	Antique oriental	40W	100-240V		1	-
63052	Antique oriental	40W	100-240V		1	-



The Hotel Range Metal



C-A**


61046 | 40W | E27 | Metal + white fabric shade



IP20




Suitable for E27 LED lamp.



C-A**

61076 | 40W | E27 | Metal + white fabric shade



IP20



Suitable for E27 LED lamp.



C-A**


61078 | 40W | E27 | Metal + white fabric shade



IP20



Suitable for E27 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
61046/MC	Brushed chrome	40W	100-240V	⌚	8	With ON/OFF Switch
61076/C	Chrome	40W	100-240V	⌚	12	With ON/OFF Switch
61078/C	Chrome	40W	100-240V	⌚	8	With ON/OFF Switch

The Hotel Range

Metal



65138 | 3W LED + 40W E27 | Metal + white fabric shade


With 2 x ON/OFF Switches.



IP20



Suitable for E27 LED lamp.



61044 | 3W LED + 40W E27 | Metal + white fabric shade


With 2 x ON/OFF Switches.



IP20



Suitable for E27 LED lamp.



61074 | 3W LED + 40W E27 | Metal + white fabric shade


With 2 x ON/OFF Switches.



IP20



Suitable for E27 LED lamp.



61080 | 3W LED + 40W E27 | USB socket | Metal + white fabric shade

With 2 x ON/OFF Switches.




new

IP20



61080/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65138/MC/W	Brushed chrome	Warm white	3000K	3W LED + 40W E27	100lm	230V	⌚	8	Complete with 500mA driver
61044/C/W	Chrome	Warm white	3000K	3W LED + 40W E27	100lm	230V	⌚	6	Complete with 500mA driver
61074/C/W	Chrome	Warm white	3000K	3W LED + 40W E27	100lm	100-240V	⌚	8	Complete with 500mA driver
61080/W/W	White	Warm white	3000K	3W LED + 40W E27	150lm	230V	⌚	4	Complete with 700mA driver
61080/C/W	Chrome	Warm white	3000K	3W LED + 40W E27	150lm	230V	⌚	4	Complete with 700mA driver



61044A/C/W



61042A/MC

The Hotel Range

Metal



C-A++


61044A | 3W LED + 40W E27 | Metal + white fabric shade



IP20



Suitable for E27 LED lamp.



C-A++


61042A | 40W | E27 | Metal + white fabric shade



IP20



Suitable for E27 LED lamp.



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
61044A/C/W	Chrome	Warm white	3000K	3W LED + 40W E27	100lm	230V		1	Complete with driver
61042A/MC	Brushed chrome	-	-	40W	-	100-240V		1	-



Portable Trendy Light



A-A+

61082 | 2,2W | LED | Touch switch | Die cast


Rechargeable USB socket.

new

IP54



Charging time: 5-7Hrs
Working time: 9Hrs




Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Class		Notes
61082/W	White	Warm white	3000K	2,2W	190lm	III	6	2x2200mAh lithium battery




one

The LED Flickering Candles

	9C006 LED Flickering flame Metal + glass LED BUILT IN CE 2 YEAR IP20		ON/OFF and 5 hours timer functions. 100mm 210mm 
	9C008 LED Flickering flame Plastic LED BUILT IN CE 2 YEAR IP20		ON/OFF and 5 hours timer functions. 160mm 150mm 
Order Code	Battery		Notes
9C006/F	2xAA	10	Batteries included
9C008/F	2xC	8	Batteries included

The LED Flickering Candles

	9C004A LED Flickering candle Plastic ON/OFF and 5 hours timer functions.   LED BUILT IN   IP20   75mm 125mm
	9C004B LED Flickering candle Plastic ON/OFF and 5 hours timer functions.   LED BUILT IN   IP20   100mm 150mm
	9C002 LED Flickering flame Wax with aroma ON/OFF and 4 hours timer functions.   LED BUILT IN   IP20   80mm 120mm

Order Code	Battery		Notes
9C004A/F	2xAA	24	Batteries included
9C004B/F	2xAA	24	Batteries included
9C002/F	2xC	24	Batteries not included

one

Retro Floor Lamp

Metal



B-A**


61058A | 26W | E27 | Metal



IP20



Suitable for E27 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
61058A/C	Chrome	26W	100-240V		1	-

Chrome Classic

Metal



B-A++


61036 | 2x11W | E14 | Metal



IP20



Suitable for E14 LED lamp.



B-A++


61038 | 20W | E27 | Metal



IP20



Suitable for E27 LED lamp.



B-A++


61038B | 15W | E14 | Metal



IP20



Suitable for E14 LED lamp.



Order Code	Colour	Watts	Input	Class		Notes
61036/C	Chrome	2x11W	100-240V	☐	1	-
61038/C	Chrome	20W	100-240V	☐	1	-
61038B/C	Chrome	15W	100-240V	☐	1	-



LED Pendant Rings




63046 | 25W | SMD 2835 | Steel + aluminium

Oval shape.




IP20



63046A | 45W | SMD 2835 | Steel + aluminium




IP20



63046B | 50W | SMD 2835 | Steel + aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63046/W	White	Warm white	3000K	25W	1540lm	230V		1	Complete with 24V DC driver
63046A/W	White	Warm white	3000K	45W	2700lm	230V		1	Complete with 24V DC driver
63046B/W	White	Warm white	3000K	50W	3000lm	230V		1	Complete with 24V DC driver




LED Pendant Rings

63048 | 19W | SMD 2835 | Steel + aluminium



IP20




A-A+ 63048/W

63048 | 19W | SMD 2835 | Steel + aluminium



IP20





A-A+ 63048/B

63048 | 19W | SMD 2835 | Steel + aluminium



IP20



A-A+ 63048/C

Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63048/W	White	Warm white	3000K	19W	1000lm	230V		1	Complete with 24V DC driver
63048/B	Black	Warm white	3000K	19W	1000lm	230V		1	Complete with 24V DC driver
63048/C	Chrome	Warm white	3000K	19W	1000lm	230V		1	Complete with 24V DC driver

one

LED Pendant Rings



A-A+ 63050/W


63050 | 40W | SMD 2835 | Steel + aluminium



IP20



63050/B



A-A+ 62144NB/W/W


62144NB | 50W | SMD 2835 | Metal



IP20



62144NB/B/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63050/W	White	Warm white	3000K	40W	2250lm	230V	⌚	1	Complete with 24V DC driver
63050/B	Black	Warm white	3000K	40W	2250lm	230V	⌚	1	Complete with 24V DC driver
62144NB/W/W	White	Warm white	3000K	50W	2750lm	230V	⌚	1	Complete with 1200mA driver
62144NB/B/W	Black	Warm white	3000K	50W	2750lm	230V	⌚	1	Complete with 1200mA driver

one



LED Pendant Rings



A-A+ 62142NB/AN/W


62142NB | 42W | SMD 2835 | Aluminium



IP20



62142NB/W/W



A-A+ 62180NB/B/W

62180NB | 80W | SMD 2835 | Metal base + aluminium + PMMA




new

IP20



62180NB/W/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Beam Angle	Input	Class	Box	Notes
62142NB/W/W	White	Warm white	3000K	42W	2520lm	-	230V	⌚	1	Complete with 1000mA driver
62142NB/AN/W	Anthracite	Warm white	3000K	42W	2520lm	-	230V	⌚	1	Complete with 1000mA driver
62180NB/W/W	White	Warm white	3000K	80W	4400lm	120°	230V	⌚	1	Complete with 1000mA drivers
62180NB/B/W	Black	Warm white	3000K	80W	4400lm	120°	230V	⌚	1	Complete with 1000mA drivers

The Cloud Series



A-A⁺⁺

62148A | 23W | SMD 2835 | Metal base + PC

new
IP20

80 CRI
LED BUILT IN
CE
3 YEAR



460mm





A-A⁺⁺

62148B | 40W | SMD 2835 | Metal base + PC

new
IP20

80 CRI
LED BUILT IN
CE
3 YEAR



600mm





A-A⁺⁺

62148D | 108W | SMD 2835 | Metal base + PC

new
IP20

80 CRI
LED BUILT IN
CE
3 YEAR



910mm



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
62148A/W	White	Warm white	3000K	23W	1900lm	230V	⌚	1	Complete with 500mA driver
62148B/W	White	Warm white	3000K	40W	3200lm	230V	⌚	1	Complete with 1000mA driver
62148D/W	White	Warm white	3000K	108W	8700lm	230V	⌚	1	Complete with 1300mA drivers



The Cloud Pendant Series




A-A++

63110C | 80W | SMD 2835 | Metal base + PC



new

IP20




A-A++

63110D | 108W | SMD 2835 | Metal base + PC





new

IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
63110C/W	White	Warm white	3000K	80W	6400lm	230V		1	Complete with 1000mA drivers
63110D/W	White	Warm white	3000K	108W	8700lm	230V		1	Complete with 1300mA drivers

Reading LED Lamps

									
 A-A⁺⁺ 61070/W 61070 5W SMD 2835 Dimmable Plastic         61070/B  500mm 170mm 									
 A-A⁺⁺ 61068 15W LED Variable colour temperature Dimmable ABS          355mm 420mm 195mm 125mm 									
 A-A⁺⁺ 61068B 12W SMD 2835 Dimmable ABS          364mm 415mm 198mm 128mm 									
 A-A⁺⁺ 61072/W 61072 6W SMD 2835 Dimmable ABS         61072/B  303mm 340mm 170mm 105mm 									
Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
61070/W	White	Cool white	4000K	5W	480lm	100-240V		8	EU socket charger
61070/B	Black	Cool white	4000K	5W	480lm	100-240V		8	EU socket charger
61068/C	White	Variable	3000K-6500K	15W	500lm	100-240V		10	With USB charging socket
61068B/C	Black	Cool white	4000K	12W	600lm	100-240V		10	With USB charging socket
61072/W	White	Cool white	4000K	6W	200lm	100-240V		10	With USB charging socket
61072/B	Black	Cool white	4000K	6W	200lm	100-240V		10	With USB charging socket



The Magnifying Lens LED Lamp

61066 | 8W | SMD 2835 | Plastic

Magnifying lens.



LED
BUILT IN


80
CRI




ADJUSTABLE



IP20



61066T | White floor stand for 61066



Order Code

61066/W

Colour

White

Light Colour

Daylight

CCT
(K)

6000K

Watts

8W

Lumen
(lm)

760lm

Input

230V

Class



4

Notes

Complete with driver




Hotel Reading Spots




A-A++

65740 | 6W | SMD 2835 | Aluminium




IP20




A-A++

65740A | 2x6W | SMD 2835 | Aluminium



IP20



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
65740/W/W	White	Warm white	3000K	6W	500lm	230V	⌚	12	Complete with 300mA driver
65740A/W/W	White	Warm white	3000K	2x6W	2x500lm	230V	⌚	12	Complete with 300mA driver

one


The Retro GU10 Spots



65105N | 10W | MR16 | GU10 | Aluminium



DARK
LIGHT
IP20




A-A++ 65105N/B

65205N | 2x10W | MR16 | GU10 | Aluminium



DARK
LIGHT
IP20




A-A++ 65205N/B

65305N | 3x10W | MR16 | GU10 | Aluminium



DARK
LIGHT
IP20




A-A++ 65305N/B

65105NA | 10W | MR16 | GU10 | Aluminium

With switch.



DARK
LIGHT
IP20



A-A++ 65105NA/B

Order Code	Colour	Reflector	Watts	Input	Class		Notes
65105N/W	White	Black	10W	100-240V	⌚	24	-
65105N/B	Black	Brass	10W	100-240V	⌚	24	-
65205N/W	White	Black	2x10W	100-240V	⌚	12	-
65205N/B	Black	Brass	2x10W	100-240V	⌚	12	-
65305N/W	White	Black	3x10W	100-240V	⌚	12	-
65305N/B	Black	Brass	3x10W	100-240V	⌚	12	-
65105NA/W	White	Black	10W	100-240V	⌚	24	-
65105NA/B	Black	Brass	10W	100-240V	⌚	24	-



65105A/MC

Decorative Spots

Die cast + glass



E-A++



65105A | 50W | MR16 | GU10 | Die cast + glass


IP20

offer



Suitable for GU10 LED lamp.



E-A++


65305B | 3x40W | G9 | Die cast + glass


IP20

offer



Suitable for LED lamps.



Order Code	Colour	Watts	Input	Class		Notes
65105A/MC	Brushed chrome	50W	100-240V	⌚	20	-
65305B/MC	Brushed chrome	3x40W	100-240V	⌚	10	-

Outdoor Floor Lamp


Die cast + PC




B-A*

IP65

61040 | 20W | E27 | Die cast + PC



Suitable for E27 LED lamp.



Order Code	Colour	Watts	Input	Class			Notes
61040/AN	Anthracite	20W	100-240V		300cm	1	-

Outdoor E27 String Lights



E-A++

0994 | 15x60W | E27 | 15xT-lampholders



3
YEAR

IP44



Order Code	Colour	Watts	Input	Class	Length	Quantity	Notes
0994/B	Black	15x60W	100-240V		850cm	8	50cm spacing



Moonlights

PC



63028 | 15W | E27 | PC



IP54



l380mm



63028A | 20W | E27 | PC



IP54



l450mm



63028B | 30W | E27 | PC



IP54



l560mm



Order Code	Colour	Watts	Input	Class		Notes
63028	White	15W	100-240V		1	Pendant / Ground / Spike
63028A	White	20W	100-240V		1	Pendant / Ground / Spike
63028B	White	30W	100-240V		1	Pendant / Ground / Spike