

01

Recessed Spots Fixed

Pages 03-36

MR11 | MR16 | G4 | GU4 | GU5,3 | GU10

Die cast | Glass | Aluminium | Metal | Gypsum | Semi trimless


 IP20 IP43 IP44 IP65

 DARK
LIGHT
 





Star Lights G4



10102 | 20W | G4 | Die cast



IP20

offer



Suitable for G4 LED lamp.



10102 | 20W | G4 | Die cast



IP20

offer



Suitable for G4 LED lamp.



10102GL | 20W | G4 | Glass



IP20

offer



Suitable for G4 LED lamp.



10102GL | 20W | G4 | Glass




IP20

offer



Suitable for G4 LED lamp.



Order Code	Colour	Watts	Input	Class					Notes
10102/MC	Brushed chrome	20W	12V		40cm	24mm	30mm	100	-
10102/BS	Brass	20W	12V		40cm	24mm	30mm	100	-
10102GL/BL	Blue	20W	12V		40cm	33mm	50mm	100	-
10102GL/Y	Yellow	20W	12V		40cm	33mm	50mm	100	-

Classic MR16



10105X | 50W | MR16 | GU5,3 | Die cast



IP20



10105X | 50W | MR16 | GU5,3 | Die cast



IP20



10105XS | 50W | MR16 | GU5,3 | Pressed metal




IP20



Order Code	Colour	Watts	Input	Class					Notes
10105X/W	White	50W	12V		40cm	63mm	60mm	100	-
10105X/C	Chrome	50W	12V		40cm	63mm	60mm	100	-
10105X/MC	Brushed chrome	50W	12V		40cm	63mm	60mm	100	-
10105X/BS	Brass	50W	12V		40cm	63mm	60mm	100	-
10105XS/C	Chrome	50W	12V		40cm	63mm	60mm	100	-
10105XS/MC	Brushed chrome	50W	12V		40cm	63mm	60mm	100	-

Classic MR11 & MR16



E-A++ 10103/BS

10103 | 35W | MR11 | GU4 | Die cast



IP20

offer



Suitable for MR11 LED lamp.



25mm



E-A++ 10103/BBS

10103 | 35W | MR11 | GU4 | Die cast



IP20

offer



Suitable for MR11 LED lamp.



25mm



E-A++ 10105/W

10105 | 50W | MR16 | GU5,3 | Die cast



IP20



32mm



E-A++ 10105/MC

10105 | 50W | MR16 | GU5,3 | Die cast



IP20



32mm



Order Code	Colour	Watts	Input	Class					Notes
10103/BS	Brass	35W	12V		40cm	51mm	45mm	100	-
10103/BBS	Brushed brass	35W	12V		40cm	51mm	45mm	100	-
10105/W	White	50W	12V		40cm	70mm	60mm	100	-
10105/MC	Brushed chrome	50W	12V		40cm	70mm	60mm	100	-



Classic MR16

10105GU | 50W | MR16 | GU10 | Die cast



Complete with 0950G.



IP20

E-A++ 10105GU/W

10105GU | 50W | MR16 | GU10 | Die cast



Complete with 0950G.



IP20

E-A++ 10105GU/G

10105GU | 50W | MR16 | GU10 | Die cast



Complete with 0950G.



IP20

E-A++ 10105GU/C

10105GU | 50W | MR16 | GU10 | Die cast



Complete with 0950G.



IP20

E-A++ 10105GU/MC

Order Code	Colour	Watts	Input	Class					Notes
10105GU/W	White	50W	100-240V		15cm	70mm	150mm	100	-
10105GU/G	Grey	50W	100-240V		15cm	70mm	150mm	100	-
10105GU/C	Chrome	50W	100-240V		15cm	70mm	150mm	100	-
10105GU/MC	Brushed chrome	50W	100-240V		15cm	70mm	150mm	100	-


The Cement Range



A-A++

10105CM | 10W | MR16 | GU10 | Cement + aluminium reflector

new
DARK
LIGHT
IP20



Order Code	Colour	Watts	Input	Class	 15cm	 95mm	 120mm	 12	Notes
10105CM	Cement	10W	100-240V						-

The Dual Ring Range

Aluminium



10105A1 | 50W | MR16 | GU10 | Aluminium



IP20



Complete with 0950G.



10105A1 | 50W | MR16 | GU10 | Aluminium



IP20



Complete with 0950G.



10105A1 | 50W | MR16 | GU10 | Aluminium



IP20



Complete with 0950G.



Order Code	Colour	Watts	Input	Class					Notes
10105A1/W	White	50W	100-240V		15cm	68mm	120mm	100	-
10105A1/B	Black	50W	100-240V		15cm	68mm	120mm	100	-
10105A1/AL	Aluminium	50W	100-240V		15cm	68mm	120mm	100	-



The Dark Light Range

Aluminium



E-A⁺⁺ 10105ALG/W

10105ALG | 50W | MR16 | GU10 | Aluminium



10105ALG/AL



E-A⁺⁺ 10105ALG/B

10105ALG | 50W | MR16 | GU10 | Aluminium





Complete with 0950GB.





E-A⁺⁺ 50105ALG/W

50105ALG | 50W | MR16 | GU10 | Aluminium



E-A⁺⁺ 50105ALG/AL

50105ALG | 50W | MR16 | GU10 | Aluminium



Order Code	Colour	Watts	Input	Class							Notes
10105ALG/W	White	50W	100-240V		15cm	78mm	150mm	50	-	-	-
10105ALG/B	Black	50W	100-240V		15cm	78mm	150mm	50	-	-	-
10105ALG/AL	Aluminium	50W	100-240V		15cm	78mm	150mm	50	-	-	-
50105ALG/W	White	50W	100-240V		15cm	78mm	150mm	50	-	-	-
50105ALG/AL	Aluminium	50W	100-240V		15cm	78mm	150mm	50	-	-	-

The Dark Light Range

Aluminium



E-A⁺⁺ 10105ALG/W/B

10105ALG | 50W | MR16 | GU10 | Aluminium

new
DARK
LIGHT
IP20



Complete with 0950GB.



E-A⁺⁺ 10105ALG/W/GL

10105ALG | 50W | MR16 | GU10 | Aluminium

new
DARK
LIGHT
IP20



Complete with 0950GB.



E-A⁺⁺ 10105ALG/B/GL

10105ALG | 50W | MR16 | GU10 | Aluminium

new
DARK
LIGHT
IP20




Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105ALG/W/B	White	Black	50W	100-240V		15cm	78mm	150mm	50	-
10105ALG/W/GL	White	Gold	50W	100-240V		15cm	78mm	150mm	50	-
10105ALG/B/GL	Black	Gold	50W	100-240V		15cm	78mm	150mm	50	-



The Semi Trimless Dark Light Range

 E-A⁺⁺ 10105TG/W	10105TG 50W MR16 GU10 Semi trimless Aluminium   10105TG/B 								
 E-A⁺⁺	50105TG 50W MR16 GU10 Semi trimless Die cast   								
 E-A⁺⁺	10105T 50W MR16 GU5,3 Semi trimless Aluminium   								
 E-A⁺⁺	50105T 50W MR16 GU5,3 Semi trimless Die cast   								
Order Code	Colour	Watts	Input	Class					Notes
10105TG/W	White	50W	100-240V		15cm	75mm	170mm	50	-
10105TG/B	Black	50W	100-240V		15cm	75mm	170mm	50	-
50105TG/W	White	50W	100-240V		15cm	76x76mm	120mm	50	-
10105T/BE	Beige	50W	12V		40cm	75mm	130mm	100	-
50105T/BE	Beige	50W	12V		40cm	75x75mm	130mm	100	-



The Semi Dark Light Range


Aluminium



10105D1 | 50W | MR16 | GU10 | Aluminium




IP20



10105D2 | 50W | MR16 | GU10 | Aluminium



IP20




10105DG | 50W | MR16 | GU10 | Semi trimless | Aluminium




DARK LIGHT

IP20



Order Code	Colour	Watts	Input	Class					Notes
10105D1/W	White	50W	100-240V		15cm	62mm	120mm	50	-
10105D1/B	Black	50W	100-240V		15cm	62mm	120mm	50	-
10105D2/W	White	50W	100-240V		15cm	62mm	120mm	50	-
10105D2/B	Black	50W	100-240V		15cm	62mm	120mm	50	-
10105DG/W	White	50W	100-240V		15cm	76mm	155mm	50	-



10105D5/W

10105D4/W

The Dark Light Range



E-A++

10105D4 | 50W | MR16 | GU10 | Aluminium

DARK
LIGHT
IP20


Complete with 0950G.



E-A++

10105D5 | 50W | MR16 | GU10 | Aluminium

DARK
LIGHT
IP20


Complete with 0950G.



E-A++

10110T | 75W | R111 | G53 | Semi trimless | Pressed metal

DARK
LIGHT
IP20
offer


Suitable for R111 LED lamp.



Order Code	Colour	Watts	Input	Class					Notes
10105D4/W	White	50W	100-240V		15cm	68mm	140mm	50	-
10105D4/B	Black	50W	100-240V		15cm	68mm	140mm	50	-
10105D5/W	White	50W	100-240V		15cm	68mm	130mm	50	-
10110T/W	White	75W	12V		40cm	175mm	210mm	8	-




The Dark Light Dual Ring Range


Aluminium



10105D3 | 50W | MR16 | GU10 | Aluminium



50105D7 | 50W | MR16 | GU10 | Aluminium



Order Code	Colour	Watts	Input	Class					Notes
10105D3/W	White	50W	100-240V		15cm	68mm	120mm	100	-
50105D7/W	White	50W	100-240V		15cm	80mm	120mm	50	-



Recessed Cylinders

Aluminium




E-A++ 10105D9/W/B

10105D9 | 50W | MR16 | GU10 | Aluminium

new
DARK
LIGHT
IP20



Complete with 0950GB.



E-A++ 10105D9/W/GL

10105D9 | 50W | MR16 | GU10 | Aluminium

new
DARK
LIGHT
IP20



Complete with 0950GB.



E-A++ 10105D9/B/B

10105D9 | 50W | MR16 | GU10 | Aluminium

new
DARK
LIGHT
IP20



Complete with 0950GB.



E-A++ 10105D9/B/GL

10105D9 | 50W | MR16 | GU10 | Aluminium

new
DARK
LIGHT
IP20



Complete with 0950GB.




Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105D9/W/B	White	Black	50W	100-240V		15cm	62mm	100mm	50	-
10105D9/W/GL	White	Gold	50W	100-240V		15cm	62mm	100mm	50	-
10105D9/B/B	Black	Black	50W	100-240V		15cm	62mm	100mm	50	-
10105D9/B/GL	Black	Gold	50W	100-240V		15cm	62mm	100mm	50	-

one

Semi Trimless Dark Light

Aluminium



10105AD | 50W | MR16 | GU10 | Aluminium



5 YEAR

DARK LIGHT
IP20





10105D8 | 50W | MR16 | GU10 | Aluminium



5 YEAR

new
DARK LIGHT
IP20




10105D8 | 50W | MR16 | GU10 | Aluminium



5 YEAR

new
DARK LIGHT
IP20



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105AD/W	White	Black	50W	100-240V		15cm	64mm	130mm	36	-
10105D8/W/B	White	Black	50W	100-240V		15cm	62mm	130mm	50	-
10105D8/W/GL	White	Gold	50W	100-240V		15cm	62mm	130mm	50	-
10105D8/B/B	Black	Black	50W	100-240V		15cm	62mm	130mm	50	-
10105D8/B/GL	Black	Gold	50W	100-240V		15cm	62mm	130mm	50	-



The Chill Out Range

Round

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



DARK
LIGHT
IP20



Complete with 0950GB.



A-A++ 10105M/W/W

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



DARK
LIGHT
IP20



Complete with 0950GB.



A-A++ 10105M/W/B

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



DARK
LIGHT
IP20



Complete with 0950GB.



A-A++ 10105M/W/BS

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



DARK
LIGHT
IP20



Complete with 0950GB.



A-A++ 10105M/W/CU

Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105M/W/W	White	White	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/B	White	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/BS	White	Brass	10W	100-240V		15cm	70mm	120mm	50	-
10105M/W/CU	White	Copper	10W	100-240V		15cm	70mm	120mm	50	-

The Chill Out Range

Round



A-A+ 10105M/B/W

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.



A-A+ 10105M/B/B

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.




A-A+ 10105M/B/BS

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.



A-A+ 10105M/B/CU

10105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105M/B/W	Black	White	10W	100-240V		15cm	70mm	120mm	50	-
10105M/B/B	Black	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105M/B/BS	Black	Brass	10W	100-240V		15cm	70mm	120mm	50	-
10105M/B/CU	Black	Copper	10W	100-240V		15cm	70mm	120mm	50	-

The Chill Out Range

Round

	10105MD 10W MR16 GU10 Aluminium body + plastic reflector									
A-A++ 10105MD/W/W							Complete with 0950GB.			
	10105MD 10W MR16 GU10 Aluminium body + plastic reflector									
A-A++ 10105MD/W/B							Complete with 0950GB.			
	10105MD 10W MR16 GU10 Aluminium body + plastic reflector									
A-A++ 10105MD/W/BS							Complete with 0950GB.			
	10105MD 10W MR16 GU10 Aluminium body + plastic reflector									
A-A++ 10105MD/W/C							Complete with 0950GB.			
	10105MD 10W MR16 GU10 Aluminium body + plastic reflector									
A-A++ 10105MD/W/GL							Complete with 0950GB.			
Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105MD/W/W	White	White	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/W/B	White	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/W/BS	White	Brass	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/W/C	White	Chrome	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/W/GL	White	Gold	10W	100-240V		15cm	70mm	120mm	50	-




10105MD/W/B

10105MD/B/BS

The Chill Out Range



Round

10105MD 10W MR16 GU10 Aluminium body + plastic reflector										
	  								 	
	A-A⁺⁺ 10105MD/B/B		Complete with 0950GB.							
10105MD 10W MR16 GU10 Aluminium body + plastic reflector										
	  								 	
	A-A⁺⁺ 10105MD/B/BS		Complete with 0950GB.							
Order Code	Colour	Reflector	Watts	Input	Class					Notes
10105MD/B/B	Black	Black	10W	100-240V		15cm	70mm	120mm	50	-
10105MD/B/BS	Black	Brass	10W	100-240V		15cm	70mm	120mm	50	-




The Assymetric Chill Out Range

Square


 A-A⁺⁺ 50105MA/W/W	50105MA 10W MR16 GU10 Aluminium body + plastic reflector Assymmetric for shelf illumination.    Assymmetric.  84mm 84mm 60mm									
 A-A⁺⁺ 50105MA/W/B	50105MA 10W MR16 GU10 Aluminium body + plastic reflector Assymmetric for shelf illumination.    Assymmetric.  84mm 84mm 60mm									
 A-A⁺⁺ 50105MA/B/B	50105MA 10W MR16 GU10 Aluminium body + plastic reflector Assymmetric for shelf illumination.    Assymmetric.  84mm 84mm 60mm									
Order Code	Colour	Reflector	Watts	Input	Class					Notes
50105MA/W/W	White	White	10W	100-240V		15cm	76x76mm	150mm	50	Assymmetric
50105MA/W/B	White	Black	10W	100-240V		15cm	76x76mm	150mm	50	Assymmetric
50105MA/B/B	Black	Black	10W	100-240V		15cm	76x76mm	150mm	50	Assymmetric

The Chill Out Range



Square




50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



50105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Order Code	Colour	Reflector	Watts	Input	Class					Notes
50105M/W/BS	White	Brass	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/W/CU	White	Copper	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/W	Black	White	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/B	Black	Black	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/BS	Black	Brass	10W	100-240V		15cm	76x76mm	130mm	50	-
50105M/B/CU	Black	Copper	10W	100-240V		15cm	76x76mm	130mm	50	-



50205D/AL



The Dark Light Range Pro

Aluminium





E-A++ 50205D/W

50205D | 2x50W | MR16 | GU5,3 | Aluminium



E-A++ 50205D/AL

50205D | 2x50W | MR16 | GU5,3 | Aluminium



Order Code	Colour	Watts	Input	Class					Notes
50205D/W	White	2x50W	12V		40cm	220x110mm	130mm	20	-
50205D/AL	Aluminium	2x50W	12V		40cm	220x110mm	130mm	20	-



10105F/MC



10105L/MC

The Dark Light Range 12V Steel




E-A⁺⁺ 10105L/C

10105L | 50W | MR16 | GU5,3 | Adjustable ring | Steel



E-A⁺⁺ 10105L/MC

10105L | 50W | MR16 | GU5,3 | Adjustable ring | Steel



E-A⁺⁺

10105F | 50W | MR16 | GU5,3 | Adjustable ring | Steel



Order Code	Colour	Watts	Input	Class					Notes
10105L/C	Chrome	50W	12V		40cm	90mm	95mm	50	-
10105L/MC	Brushed chrome	50W	12V		40cm	90mm	95mm	50	-
10105F/MC	Brushed chrome	50W	12V		40cm	90mm	90mm	50	-





10105CJ/ABS/5

10105CJ/BS/5

10105CJ/MC/5

The Bathroom Range

Die cast

	10105CJ 50W MR16 GU5,3 Die cast           118mm65mm								
	10105CJ 50W MR16 GU5,3 Die cast           118mm65mm								
	10105CJ 50W MR16 GU5,3 Die cast           118mm65mm								
Order Code	Colour	Watts	Input	Class					Notes
10105CJ/MC/5	Brushed chrome	50W	12V		40cm	102mm	120mm	50	-
10105CJ/BS/5	Brass	50W	12V		40cm	102mm	120mm	50	-
10105CJ/ABS/5	Antique brass	50W	12V		40cm	102mm	120mm	50	-



The Bathroom Range IP44

Die cast

10105R | 50W | MR16 | GU5,3 | Die cast



IP44



10105R/B



E-A⁺⁺ 10105R/W

10105R | 50W | MR16 | GU5,3 | Die cast



IP44




E-A⁺⁺ 10105R/MC

50105R | 50W | MR16 | GU5,3 | Die cast



IP44




E-A⁺⁺ 50105R/W

50105R | 50W | MR16 | GU5,3 | Die cast



IP44



E-A⁺⁺ 50105R/MC

Order Code	Colour	Watts	Input	Class					Notes
10105R/W	White	50W	12V		40cm	70mm	100mm	50	-
10105R/B	Black	50W	12V		40cm	70mm	100mm	50	-
10105R/MC	Brushed chrome	50W	12V		40cm	70mm	100mm	50	-
50105R/W	White	50W	12V		40cm	70mm	100mm	50	-
50105R/MC	Brushed chrome	50W	12V		40cm	70mm	100mm	50	-

one

The IP65 GU10 Range



E-A**

10105V | 50W | MR16 | GU10 | Die cast



IP65



Order Code	Colour	Watts	Input	Class	 S	 T	 H		Notes
10105V/G	Grey	50W	100-240V		100cm	78mm	120mm	24	-

one

The Bathroom Range IP65

Aluminium



E-A++ 10105R1/W

10105R1 | 50W | MR16 | GU10 | Aluminium



IP65



E-A++ 10105R1/AL

10105R1 | 50W | MR16 | GU10 | Aluminium



IP65



E-A++

10105R2 | 50W | MR16 | GU10 | Aluminium



DARK LIGHT
IP65



Order Code	Colour	Watts	Input	Class					Notes
10105R1/W	White	50W	100-240V		15cm	68mm	120mm	50	-
10105R1/AL	Aluminium	50W	100-240V		15cm	68mm	120mm	50	-
10105R2/W	White	50W	100-240V		15cm	82mm	130mm	50	-



Round Decorative Spots

Natural aluminium + glass



10105GL1 | 50W | MR16 | GU5,3 | Natural aluminium + glass



IP20




10105GL2 | 50W | MR16 | GU5,3 | Natural aluminium + glass



IP20

offer



Order Code	Colour	Watts	Input	Class					Notes
10105GL1/AL	Aluminium	50W	12V		40cm	60mm	50mm	50	-
10105GL2/AL	Aluminium	50W	12V		40cm	60mm	50mm	50	-



50105GL/AL



10105GL1/AL



50105GL1/AL

Square Decorative Spots

Natural aluminium + glass




E-A⁺⁺

50105GL | 50W | MR16 | GU5,3 | Natural aluminium + glass



IP20




E-A⁺⁺

50105GL1 | 50W | MR16 | GU5,3 | Natural aluminium + glass



IP20



Order Code	Colour	Watts	Input	Class					Notes
50105GL/AL	Aluminium	50W	12V		40cm	60mm	50mm	50	-
50105GL1/AL	Aluminium	50W	12V		40cm	60mm	50mm	50	-



The Decorative Spots

Natural aluminium



10105AC | 50W | MR16 | GU5,3 | Natural aluminium



10105AR | 50W | MR16 | GU5,3 | Natural aluminium





IP20
offer



50105AR | 50W | MR16 | GU5,3 | Natural aluminium



IP20
offer



Order Code	Colour	Watts	Input	Class					Notes
10105AC/AL	Aluminium	50W	12V	III	40cm	60mm	60mm	50	-
10105AR/AL	Aluminium	50W	12V	III	40cm	70mm	75mm	50	-
50105AR/AL	Aluminium	50W	12V	III	40cm	70mm	75mm	50	-



The Decorative Spot




E-A++

50105GL4 | 35W | MR16 | GU10 | Metal + glass



IP20

offer




Order Code	Colour	Watts	Input	Class	 15cm	 88mm	 130mm	 50	Notes
50105GL4/MC	Brushed chrome	35W	100-240V						-




Trimless Gypsum




10105GT1 | 50W | MR16 | GU10 | Trimless | Gypsum




10105GT2 | 50W | MR16 | GU10 | Trimless | Gypsum



50105GT1 | 50W | MR16 | GU10 | Trimless | Gypsum



50105GT2 | 50W | MR16 | GU10 | Trimless | Gypsum



Order Code	Colour	Watts	Input	Class					Notes
10105GT1	White	50W	100-240V		15cm	102mm	100mm	24	-
10105GT2	White	50W	100-240V		15cm	132mm	150mm	24	-
50105GT1	White	50W	100-240V		15cm	102x102mm	100mm	24	-
50105GT2	White	50W	100-240V		15cm	122x122mm	150mm	24	-




10105TR/BS

10105TR/B


The Chill Out Trimless Range

Aluminium




E-A⁺⁺ 10105TR/W

10105TR | 50W | MR16 | GU10 | Trimless | Aluminium



E-A⁺⁺ 10105TR/B

10105TR | 50W | MR16 | GU10 | Trimless | Aluminium



E-A⁺⁺ 10105TR/BS

10105TR | 50W | MR16 | GU10 | Trimless | Aluminium



Order Code	Colour	Watts	Input	Class					Notes
10105TR/W	White	50W	100-240V		15cm	65mm	120mm	60	-
10105TR/B	Black	50W	100-240V		15cm	65mm	120mm	60	-
10105TR/BS	Brass	50W	100-240V		15cm	65mm	120mm	60	-




The Chill Out Trimless Range

Round




10105RM | 10W | MR16 | GU10 | Trimless | Die cast body + plastic reflector

Reflector must be ordered separately.



									
050099/W White	050099/G Grey	050099/C Chrome	050099/BS Brass	050099/GL Gold	050099/CU Copper				
Order Code	Colour	Watts	Input	Class					Notes
10105RM	White	10W	100-240V		15cm	90mm	130mm	50	-




The Chill Out Trimless Range



Square



50105RM | 10W | MR16 | GU10 | Trimless | Die cast body + plastic reflector

Reflector must be ordered separately.



																																																											
050098/W White										050098/B Black										050098/G Grey										050098/C Chrome										050098/GL Gold										050098/CU Copper									
Order Code					Colour					Watts					Input					Class					 S					 T					 H										Notes														
50105RM					White					10W					100-240V										15cm					85x75mm					130mm					50					-														