

03

Recessed Spots Adjustable

Pages 71-100

MR11 | MR16 | GU4 | GU5,3 | GU10

Die cast | Natural aluminium | Steel | Gypsum | Cement | Trimless





11105/MC

11103A/MC

The Classic Adjustable Round



E-A⁺⁺

11103A | 35W | MR11 | GU4 | Die cast



IP20

offer



Suitable for MR11 LED lamp.




E-A⁺⁺

11105/C

11105 | 50W | MR16 | GU5,3 | Die cast



IP20



11105/MC



offer

11105/BS



Order Code	Colour	Watts	Input	Class	⏏	⏏	⏏	⏏	Notes
11103A/MC	Brushed chrome	35W	12V	III	40cm	57mm	35mm	100	-
11105/C	Chrome	50W	12V	III	40cm	75mm	55mm	100	-
11105/MC	Brushed chrome	50W	12V	III	40cm	75mm	55mm	100	-
11105/BS	Brass	50W	12V	III	40cm	75mm	55mm	100	-

The Classic GU10 Range



E-A⁺⁺ 11105GU/G


11105GU | 50W | MR16 | GU10 | Die cast



IP20



Complete with 0950G.



11105GU/W



11105GU/B



11105GU/C



11105GU/MC

Order Code	Colour	Watts	Input	Class					Notes
11105GU/W	White	50W	100-240V		15cm	75mm	95mm	100	-
11105GU/B	Black	50W	100-240V		15cm	75mm	95mm	100	-
11105GU/G	Grey	50W	100-240V		15cm	75mm	95mm	100	-
11105GU/C	Chrome	50W	100-240V		15cm	75mm	95mm	100	-
11105GU/MC	Brushed chrome	50W	100-240V		15cm	75mm	95mm	100	-

The Lock Ring Range

Die cast



11103C | 35W | MR11 | GU4 | Die cast



IP20
offer



Suitable for MR11 LED lamp.



11105C | 50W | MR16 | GU5,3 | Die cast



IP20



E-A++



E-A++ 11105C/W



11105C/G



11105C/MC



offer

11105C/ABS



offer

11105C/N

11105CF | 35W | MR16 | GU10 | Firehood | Die cast



IP20



11105CF/MC



E-A++ 11105CF/W

Order Code	Colour	Watts	Input	Class					Notes
11103C/C	Chrome	35W	12V		40cm	63mm	40mm	100	-
11105C/W	White	50W	12V		40cm	82mm	60mm	100	-
11105C/G	Grey	50W	12V		40cm	82mm	60mm	100	-
11105C/N	Natural	50W	12V		40cm	82mm	60mm	100	-
11105C/MC	Brushed chrome	50W	12V		40cm	82mm	60mm	100	-
11105C/ABS	Antique brass	50W	12V		40cm	82mm	60mm	100	-
11105CF/W	White	35W	100-240V		-	87mm	180mm	50	-
11105CF/MC	Brushed chrome	35W	100-240V		-	87mm	180mm	50	-



The Lock Ring GU10 Range

Die cast



11105CGU | 50W | MR16 | GU10 | Die cast



IP20

E-A++ 11105CGU/W



11105CGU/G





11105CGU/C



11105CGU/MC



51105CGU | 50W | MR16 | GU10 | Die cast



IP20

E-A++ 51105CGU/W

Order Code	Colour	Watts	Input	Class					Notes
11105CGU/W	White	50W	100-240V		15cm	82mm	95mm	100	-
11105CGU/G	Grey	50W	100-240V		15cm	82mm	95mm	100	-
11105CGU/C	Chrome	50W	100-240V		15cm	82mm	95mm	100	-
11105CGU/MC	Brushed chrome	50W	100-240V		15cm	82mm	95mm	100	-
51105CGU/W	White	50W	100-240V		15cm	78mm	100mm	100	-
51105CGU/MC	Brushed chrome	50W	100-240V		15cm	78mm	100mm	100	-

The Lock Ring Dark Light



11105CD | 50W | MR16 | GU5,3 | Die cast




DARK LIGHT
IP20



51105CD | 50W | MR16 | GU5,3 | Die cast



DARK LIGHT
IP20



Order Code	Colour	Watts	Input	Class					Notes
11105CD/MC	Brushed chrome	50W	12V		40cm	85mm	100mm	50	-
51105CD/MC	Brushed chrome	50W	12V		40cm	85mm	100mm	50	-



Box Set

Die cast



E-A**

IP20

11105GU3 | 4W (x3) | MR16 | GU10 | Die cast

Set of 3pcs.



Includes 3pcs
GU10 LED lamps.



Order Code	Colour	Watts	Input	Class					Notes
11105GU3/MC/W	Brushed chrome	4W (x3)	230V		15cm	75mm	95mm	20	Complete with 7304BG/W/38 lamps



The Classic Square

Die cast



51103 | 35W | MR11 | GU4 | Die cast




IP20

offer




Suitable for MR11 LED lamp.



51105 | 50W | MR16 | GU5,3 | Die cast



IP20




51105 | 50W | MR16 | GU5,3 | Die cast



IP20



51105/MC



Order Code	Colour	Watts	Input	Class					Notes
51103/MC	Brushed chrome	35W	12V	III	40cm	56mm	45mm	100	-
51105/W	White	50W	12V	III	40cm	75mm	65mm	100	-
51105/C	Chrome	50W	12V	III	40cm	75mm	65mm	100	-
51105/MC	Brushed chrome	50W	12V	III	40cm	75mm	65mm	100	-



The Classic Square GU10

Die cast



E-A++ 51105GU/W


51105GU | 50W | MR16 | GU10 | Die cast



IP20



Complete with 0950G.



E-A++ 51105GU/MC


51105GU | 50W | MR16 | GU10 | Die cast



IP20



Complete with 0950G.



E-A++ 51105GA/W

51105GA | 50W | MR16 | GU10 | Die cast



IP20

offer




Supplied with GU10 50W halogen lamp.



E-A++ 51105GA/MC

51105GA | 50W | MR16 | GU10 | Die cast




IP20

offer




Supplied with GU10 50W halogen lamp.



Order Code	Colour	Watts	Input	Class					Notes
51105GU/W	White	50W	100-240V		15cm	73mm	100mm	100	-
51105GU/MC	Brushed chrome	50W	100-240V		15cm	73mm	100mm	100	-
51105GA/W	White	50W	230V		15cm	73mm	100mm	50	Supplied with GU10 lamp
51105GA/MC	Brushed chrome	50W	230V		15cm	73mm	100mm	50	Supplied with GU10 lamp

The Dual Ring Range

Aluminium





E-A**


51105AB | 50W | MR16 | GU5,3 | Aluminium



IP20



Order Code	Colour	Watts	Input	Class	⏏	⚡	⬆	📦	Notes
51105AB/AL	Aluminium	50W	12V	III	40cm	80mm	75mm	50	-



The Dual Ring GU10 Range


Aluminium



11105ABG | 50W | MR16 | GU10 | Aluminium




IP20



51105ABG | 50W | MR16 | GU10 | Aluminium




IP20



51205ABG | 2x50W | MR16 | GU10 | Aluminium



IP20



Order Code	Colour	Watts	Input	Class	⏏	⏏ / ⏏	⏏	⏏	Notes
11105ABG/W	White	50W	100-240V	⏏	15cm	80mm	100mm	50	-
11105ABG/AL	Aluminium	50W	100-240V	⏏	15cm	80mm	100mm	50	-
51105ABG/W	White	50W	100-240V	⏏	15cm	80mm	100mm	50	-
51105ABG/AL	Aluminium	50W	100-240V	⏏	15cm	80mm	100mm	50	-
51205ABG/W	White	2x50W	100-240V	⏏	15cm	162x82mm	100mm	20	-
51205ABG/AL	Aluminium	2x50W	100-240V	⏏	15cm	162x82mm	100mm	20	-



The Dual Ring Range

Aluminium



E-A⁺⁺ 11105ABGL/W

11105ABGL | 50W | MR16 | GU10 | Aluminium



CE 5 YEAR


IP20



Leaf springs.



Complete with 0950G.





E-A⁺⁺ 11105ABGL/B

11105ABGL | 50W | MR16 | GU10 | Aluminium



CE 5 YEAR


IP20



Leaf springs.



Complete with 0950G.



Order Code	Colour	Watts	Input	Class					Notes
11105ABGL/W	White	50W	100-240V		15cm	80mm	100mm	50	-
11105ABGL/B	Black	50W	100-240V		15cm	80mm	100mm	50	-



11105AC/AL

11105AL/AL

51103AB/AL

The Dual Ring Range

Natural aluminium


 E-A⁺⁺	11105AL 50W MR16 GU5,3 Natural aluminium    CE 5 YEAR  Leaf springs.  70mm  35mm 
 E-A⁺⁺	11105AC 50W MR16 GU5,3 Natural aluminium    CE 5 YEAR   90mm  20mm 
 E-A⁺⁺	51103AB 35W MR11 GU4 Natural aluminium    CE 5 YEAR  Suitable for MR11 LED lamp.  70mm  20mm 

Order Code	Colour	Watts	Input	Class					Notes
11105AL/AL	Aluminium	50W	12V		40cm	68mm	70mm	50	-
11105AC/AL	Aluminium	50W	12V		40cm	75mm	60mm	50	-
51103AB/AL	Aluminium	35W	12V		40cm	60mm	60mm	50	-



Round Retro Range GU10

Aluminium



11105U | 50W | MR16 | GU10 | Aluminium



IP20



11105UA | 50W | MR16 | GU10 | Aluminium



IP20



11105UB | 50W | MR16 | GU10 | Aluminium



IP20



Order Code	Colour	Watts	Input	Class					Notes
11105U/W	White	50W	100-240V		15cm	72mm	120mm	50	-
11105UA/W	White	50W	100-240V		15cm	72mm	120mm	50	-
11105UB/W	White	50W	100-240V		15cm	72mm	120mm	50	-




Square Retro Range GU10 Aluminium



51105U | 50W | MR16 | GU10 | Aluminium




IP20



51105UA | 50W | MR16 | GU10 | Aluminium




IP20



Order Code	Colour	Watts	Input	Class	⏏	⏏	⏏	⏏	Notes
51105U/W	White	50W	100-240V	⏏	15cm	72mm	120mm	50	-
51105UA/W	White	50W	100-240V	⏏	15cm	72mm	120mm	50	-

Dark Light Round Spots

 E-A++	11105D4 50W MR16 GU10 Aluminium  ADJUSTABLE  IP20  Complete with 0950G.  90mm 50mm								
 E-A++	11105DT 50W MR16 GU10 Aluminium  ADJUSTABLE  IP20  Complete with 0950G.  104mm 45mm								
 E-A++	11105TG 50W MR16 GU10 Die cast  ADJUSTABLE  IP20  Complete with 0950G.  94mm 43mm								
 E-A++	11105CDG 50W MR16 GU10 Die cast  ADJUSTABLE  IP20  Complete with 0950G.  105mm 33mm								
 E-A++	11105E 50W MR16 GU10 Die cast  ADJUSTABLE  IP20  Complete with 0950G.  89mm 40mm								
Order Code	Colour	Watts	Input	Class					Notes
11105D4/W	White	50W	100-240V		15cm	75mm	140mm	50	-
11105DT/W	White	50W	100-240V		15cm	95mm	140mm	50	-
11105TG/W	White	50W	100-240V		15cm	85mm	110mm	50	-
11105CDG/W	White	50W	100-240V		15cm	90mm	110mm	50	-
11105E/W	White	50W	100-240V		15cm	75mm	120mm	100	-




Dark Light Square Spots

Die cast

51105TG | 50W | MR16 | GU10 | Die cast



Complete with 0950G.



51105CDG | 50W | MR16 | GU10 | Die cast




Complete with 0950G.




51105DG | 50W | MR16 | GU10 | Die cast



Complete with 0950G.



51105D | 50W | MR16 | GU5,3 | Die cast



E-A++

E-A++

E-A++

E-A++

Order Code	Colour	Watts	Input	Class					Notes
51105TG/W	White	50W	100-240V		15cm	80x80mm	110mm	50	-
51105CDG/W	White	50W	100-240V		15cm	90mm	110mm	50	-
51105DG/W	White	50W	100-240V		15cm	80x80mm	85mm	50	-
51105D/G	Grey	50W	12V		40cm	80x80mm	85mm	50	-



Dark Light Round

Metal



11105TA | 50W | MR16 | GU10 | Metal



Complete with 0950G.



Order Code	Colour	Watts	Input	Class	15cm	80mm	130mm	36	Notes
11105TA/W	White	50W	100-240V						-




Dark Light Square


Metal




51105TA | 50W | MR16 | GU10 | Metal



51105TA | 50W | MR16 | GU10 | Metal



51105TA | 50W | MR16 | GU10 | Metal



Order Code	Colour	Watts	Input	Class					Notes
51105TA/W	White	50W	100-240V		15cm	80x80mm	150mm	36	-
51105TA/B	Black	50W	100-240V		15cm	80x80mm	150mm	36	-
51105TA/G	Grey	50W	100-240V		15cm	80x80mm	150mm	36	-



The Chill Out Range



A-A++ 11105M/W/W

11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.



A-A++ 11105M/W/B

11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.



A-A++ 11105M/W/BS

11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.



A-A++ 11105M/W/CU

11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.



Order Code	Colour	Reflector	Watts	Input	Class					Notes
11105M/W/W	White	White	10W	100-240V		15cm	70mm	120mm	50	-
11105M/W/B	White	Black	10W	100-240V		15cm	70mm	120mm	50	-
11105M/W/BS	White	Brass	10W	100-240V		15cm	70mm	120mm	50	-
11105M/W/CU	White	Copper	10W	100-240V		15cm	70mm	120mm	50	-

The Chill Out Range



A-A⁺⁺ 11105M/B/B

11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.



A-A⁺⁺ 11105M/B/BS

11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.



A-A⁺⁺ 11105M/B/CU

11105M | 10W | MR16 | GU10 | Aluminium body + plastic reflector



Complete with 0950GB.






Order Code	Colour	Reflector	Watts	Input	Class					Notes
11105M/B/B	Black	Black	10W	100-240V		15cm	70mm	120mm	50	-
11105M/B/BS	Black	Brass	10W	100-240V		15cm	70mm	120mm	50	-
11105M/B/CU	Black	Copper	10W	100-240V		15cm	70mm	120mm	50	-



The Round Clip In Range

Aluminium

 E-A⁺⁺ 11105A1/W	11105A1 50W MR16 GU10 Aluminium  CE 5 YEAR IP20  11105A1/AL 11105A1/B  84mm 28mm								
 E-A⁺⁺ 11105B1/W	11105B1 50W MR16 GU10 Aluminium  CE 5 YEAR IP20  11105B1/AL. Complete with 0950G.  84mm 27mm								
 E-A⁺⁺	11105D7 50W MR16 GU10 Aluminium  CE 5 YEAR IP20  Complete with 0950G.  90mm 45mm								
Order Code	Colour	Watts	Input	Class					Notes
11105A1/W	White	50W	100-240V		15cm	68mm	120mm	100	-
11105A1/B	Black	50W	100-240V		15cm	68mm	120mm	100	-
11105A1/AL	Aluminium	50W	100-240V		15cm	68mm	120mm	100	-
11105B1/W	White	50W	100-240V		15cm	72mm	120mm	100	-
11105B1/AL	Aluminium	50W	100-240V		15cm	72mm	120mm	100	-
11105D7/W	White	50W	100-240V		15cm	82mm	130mm	50	-



The Square Clip In Range

Aluminium



E-A⁺⁺ 51105B1/W

51105B1 | 50W | MR16 | GU10 | Aluminium




IP20



51105B1/AL



Complete with 0950G.



E-A⁺⁺


51105D7 | 50W | MR16 | GU10 | Aluminium



IP20



Complete with 0950G.



Order Code	Colour	Watts	Input	Class					Notes
51105B1/W	White	50W	100-240V		15cm	72mm	120mm	50	-
51105B1/AL	Aluminium	50W	100-240V		15cm	72mm	120mm	50	-
51105D7/W	White	50W	100-240V		15cm	82mm	130mm	50	-



The Dark Light Tube Range

Aluminium



11105D5 | 50W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20



Complete with 0950G.



11105D6 | 50W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20



Complete with 0950G.




11105D8 | 50W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20



Complete with 0950G.



51105D5 | 50W | MR16 | GU10 | Aluminium



DARK LIGHT
IP20



Complete with 0950G.



Order Code	Colour	Watts	Input	Class					Notes
11105D5/W	White	50W	100-240V		15cm	75mm	130mm	50	-
11105D6/W	White	50W	100-240V		15cm	75mm	130mm	50	-
11105D8/W	White	50W	100-240V		15cm	76mm	130mm	60	-
51105D5/W	White	50W	100-240V		15cm	75mm	130mm	50	-



11105N/W



51205N/W

Semi Dark Light GU10 Series

Die cast




E-A⁺⁺

11105N | 50W | MR16 | GU10 | Die cast



IP20



E-A⁺⁺

51105N | 50W | MR16 | GU10 | Die cast



IP20




E-A⁺⁺

51205N | 2x50W | MR16 | GU10 | Die cast



IP20



Order Code	Colour	Watts	Input	Class						Notes
11105N/W	White	50W	100-240V		15cm	97mm	130mm	50	-	-
51105N/W	White	50W	100-240V		15cm	97x97mm	130mm	50	-	-
51205N/W	White	2x50W	100-240V		15cm	187x97mm	130mm	25	-	-



Natural Aluminium Square




E-A⁺⁺

51105B | 50W | MR16 | GU5,3 | Natural aluminium



IP20




E-A⁺⁺

51205B | 2x50W | MR16 | GU5,3 | Natural aluminium



IP20




E-A⁺⁺

51305B | 3x50W | MR16 | GU5,3 | Natural aluminium



IP20



Order Code	Colour	Watts	Input	Class					Notes
51105B/AL	Aluminium	50W	12V		40cm	77x77mm	70mm	50	-
51205B/AL	Aluminium	2x50W	12V		40cm	167x77mm	70mm	25	-
51305B/AL	Aluminium	3x50W	12V		40cm	252x77mm	70mm	15	-



The 12V Box Square





E-A⁺⁺

51105R | 50W | MR16 | GU5,3 | Die cast



IP20



Order Code	Colour	Watts	Input	Class					Notes
51105R/G	Grey	50W	12V		40cm	95x95mm	120mm	18	-

one



Square GU10
Die cast



E-A**

51105F | 50W | MR16 | GU10 | Die cast



IP20



Order Code	Colour	Watts	Input	Class	⏏	⏏	⏏	⏏	Notes
51105F/G	Grey	50W	100-240V	⏏	15cm	115x115mm	145mm	12	-



The Trimless GU10 Range


Gypsum



11105GT5 | 50W | MR16 | GU10 | Trimless | Gypsum



11105GT4 | 50W | MR16 | GU10 | Trimless | Gypsum




51105GT4 | 50W | MR16 | GU10 | Trimless | Gypsum



Order Code	Colour	Watts	Input	Class	⚡	⚙️ / ⚙️	⬆️ / ⬆️	📦	Notes
11105GT5	White	50W	100-240V	⚡	15cm	207x207mm	160mm	12	-
11105GT4	White	50W	100-240V	⚡	15cm	156mm	140mm	12	-
51105GT4	White	50W	100-240V	⚡	15cm	156x156mm	140mm	12	-

The Trimless GU10 Range



E-A++

11105UTR | 50W | MR16 | GU10 | Trimless | Die cast


E-A++

11105DTR | 50W | MR16 | GU10 | Trimless | Aluminium


E-A++


11105TR/W

11105TR | 50W | MR16 | GU10 | Trimless | Die cast


Complete with 0950G.




11105TR/B



E-A++

51105TR | 50W | MR16 | GU10 | Trimless | Die cast


Complete with 0950G.



Order Code	Colour	Watts	Input	Class					Notes
11105UTR/W	White	50W	100-240V		20cm	105mm	120mm	20	-
11105DTR/W	White	50W	100-240V		15cm	90mm	120mm	36	-
11105TR/W	White	50W	100-240V		15cm	82mm	120mm	50	-
11105TR/B	Black	50W	100-240V		15cm	82mm	120mm	50	-
51105TR/W	White	50W	100-240V		15cm	83x83mm	120mm	50	-



51020TR/B



51010TR/B

Trimless Box

Die cast



E-A⁺⁺

51010TR | 50W | MR16 | GU10 | Trimless | Die cast



IP20




E-A⁺⁺

51020TR | 2x50W | MR16 | GU10 | Trimless | Die cast



IP20



Order Code	Colour	Watts	Input	Class				Notes
51010TR/W	White	50W	100-240V		97,5x97,5mm	150mm	16	-
51010TR/B	Black	50W	100-240V		97,5x97,5mm	150mm	16	-
51020TR/W	White	2x50W	100-240V		181x97,5mm	150mm	12	-
51020TR/B	Black	2x50W	100-240V		181x97,5mm	150mm	12	-