


16


Bathroom & Mirror

Pages 519-530

G9 | T5 | T8 | E14 | 2G11 | SMD LED

Die cast + acrylic | Aluminium + PC | Metal + glass





38118N/BBS/W

38118K/MC/C

Classic Mirror Lights




A-A

38118K | 18W | SMD 2835 | Aluminium + glass



new
IP44



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38118K/C/C	Chrome	Cool white	4000K	18W	1225lm	230V	⌚	6	Complete with 700mA driver
38118K/MC/C	Brushed brass	Cool white	4000K	18W	1225lm	230V	⌚	6	Complete with 700mA driver



Classic Mirror Lights



A-A*

38118N | 18W | SMD 2835 | Aluminium + glass



LED
BUILT IN


80
CRI



2
YEAR

new

IP44



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38118N/C/W	Chrome	Warm white	3000K	18W	1225lm	230V	⌚	6	Complete with 700mA driver
38118N/BBS/W	Brushed brass	Warm white	3000K	18W	1225lm	230V	⌚	6	Complete with 700mA driver



The Mirror LED Round

Aluminium + PC

38115C | 15W | SMD 2835 | Aluminium + PC



A-A



IP44



38120C | 20W | SMD 2835 | Aluminium + PC



A-A



IP44



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38115C/C	Chrome	Cool white	4000K	15W	1300lm	230V	Ⓛ	10	Complete with 350mA driver
38115C/W	Chrome	Warm white	3000K	15W	1300lm	230V	Ⓛ	10	Complete with 350mA driver
38120C/C	Chrome	Cool white	4000K	20W	1700lm	230V	Ⓛ	10	Complete with 500mA driver
38120C/W	Chrome	Warm white	3000K	20W	1700lm	230V	Ⓛ	10	Complete with 500mA driver

The Mirror LED Square




38114M | 15W | SMD 2835 | Aluminium + PC



new

IP44

A-A




38114MA | 16W | SMD 2835 | Aluminium + PC



new

IP44

A-A



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38114M/C	Chrome	Cool white	4000K	15W	1200lm	230V	⊕	12	Complete with 130mA driver
38114M/W	Chrome	Warm white	3000K	15W	1200lm	230V	⊕	12	Complete with 130mA driver
38114MA/C	Chrome	Cool white	4000K	16W	1300lm	230V	⊞	12	Complete with 120mA driver
38114MA/W	Chrome	Warm white	3000K	16W	1300lm	230V	⊞	12	Complete with 120mA driver

The Mirror LED Range




38114EL

38114DL

38114DL | 23W | SMD 2835 | Die cast + acrylic



IP44



38114EL | 23W | SMD 2835 | Die cast + acrylic




IP44



38121EL | 23W | SMD 2835 | Die cast + acrylic



IP44



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38114DL/C	Chrome	Cool white	4000K	23W	1650lm	230V		8	Complete with 250mA driver
38114DL/W	Chrome	Warm white	3000K	23W	1650lm	230V		8	Complete with 250mA driver
38114EL/C	Chrome	Cool white	4000K	23W	1650lm	230V		8	Complete with 700mA driver
38114EL/W	Chrome	Warm white	3000K	23W	1650lm	230V		8	Complete with 700mA driver
38121EL/C	Chrome	Cool white	4000K	23W	1650lm	230V		8	Complete with 700mA driver

The Mirror LED Range



38116F | 16W | SMD 2835 | Aluminium + opal glass



A-A+ 38116F/C

new
IP44

38116F/W





38114CL | 18W | SMD 2835 | Die cast + acrylic



A-A+ 38114CL/C

IP44




38116P | 16W | SMD 2835 | Aluminium + PC



A-A+ 38116P/C

new
IP44

38116P/W



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
38116F/C	Chrome	Cool white	4000K	16W	1120lm	230V	⚡	6	Complete with 600mA driver
38116F/W	Chrome	Warm white	3000K	16W	1120lm	230V	⚡	6	Complete with 600mA driver
38114CL/C	Chrome	Cool white	4000K	18W	1300lm	230V	⚡	6	Complete with 250mA driver
38116P/C	Chrome	Cool white	4000K	16W	1280lm	230V	⚡	12	Complete with 120mA driver
38116P/W	Chrome	Warm white	3000K	16W	1280lm	230V	⚡	12	Complete with 120mA driver



The Mirror T5 Range

For T5 14W/21W Fluorescent

38121D | 21W | T5 | Die cast + acrylic




B-A⁺⁺



IP44

offer



38114C | 14W | T5 | Die cast + acrylic



B-A⁺⁺



IP44

offer



Order Code	Colour	Watts	Input	Class		Notes
38121D/C	Chrome	21W	230V		8	Complete with electronic ballast
38114C/C	Chrome	14W	230V		6	Complete with electronic ballast

The Mirror 60cm Range

For T8 LED Tubes



38114DE/C


38114EE/C




A-A⁺⁺

38114DE | T8 LED 60cm | Die cast + acrylic

Use 9009L lamp.



IP44




A-A⁺⁺

38114EE | T8 LED 60cm | Die cast + acrylic

Use 9009L lamp.



IP44




A-A⁺⁺

38114GE | T8 LED 60cm | Die cast + acrylic

Use 9009L lamp.



IP44




A-A⁺⁺

38114CE | T8 LED 60cm | Die cast + acrylic

Use 9009L lamp.



IP44





Order Code	Colour	Watts	Input	Class		Notes
38114DE/C	Chrome	-	100-240V	⊕	6	Only suitable for T8 LED tubes
38114EE/C	Chrome	-	100-240V	⊕	6	Only suitable for T8 LED tubes
38114GE/C	Chrome	-	100-240V	⊕	6	Only suitable for T8 LED tubes
38114CE/C	Chrome	-	100-240V	⊕	6	Only suitable for T8 LED tubes

Mirror Light


A-A⁺⁺
38110BD | 10W | SMD 2835 | Dimmable | PC

Variable colour temperature


A-A⁺⁺
38114GL | 23W | SMD 2835 | Die cast + acrylic

B-A⁺⁺
38124 | 24W | 2G11 | Die cast + acrylic


Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class	⚡	📦	Notes
38110BD	-	Extra warm white - Daylight	2700K - 6500K	10W	700lm	230V	☐	1,5	20	Complete with driver
38114GL/C	Chrome	Cool white	4000K	23W	1650lm	230V	⊕	-	10	Complete with driver
38124/C	Chrome	-	-	24W	-	230V	⊕	-	6	Complete with electronic ballast

Mirror Side Lights


Metal + glass




60204 | 7W | SMD LED | Die cast + Mirror





IP44




60106 | 40W | E14 | Metal + glass




IP44



60106A | 2x40W | E14 | Metal + glass



IP44



Order Code	Colour	Light Colour	CCT (K)	Watts	Lumen (lm)	Input	Class		Notes
60204/C	Chrome	Cool white	4000K	7W	490lm	100-240V	⊕	6	Complete with driver
60106/C	Chrome	-	-	40W	-	100-240V	⊕	10	-
60106A/C	Chrome	-	-	2x40W	-	100-240V	⊕	10	-

The Mirror G9 Decorative Globes

Metal + glass



60107C/C

60107B/C



C-A⁺⁺


60107A | 28W | G9 | Metal + glass



IP44



Suitable for G9 LED lamp.



C-A⁺⁺


60107B | 2x28W | G9 | Metal + glass



IP44



Suitable for G9 LED lamps.



Order Code	Colour	Watts	Input	Class		Notes
60107A/C	Chrome	28W	100-240V	⌚	12	-
60107B/C	Chrome	2x28W	100-240V	⌚	8	-



one

The Mirror G9 Decorative Globes


Metal + glass



60107C | 3x28W | G9 | Metal + glass




IP44



60107D | 4x28W | G9 | Metal + glass



IP44



Order Code	Colour	Watts	Input	Class		Notes
60107C/C	Chrome	3x28W	100-240V		6	-
60107D/C	Chrome	4x28W	100-240V		6	-